



No-Hub

Small Diameter: 2", 3" & 4"

List Price Schedule HP-NH-SD-124
Effective January 1, 2024
Supersedes Price Schedule HP-NH-SD-422

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020-2024 Charlotte Pipe and Foundry Company



>> Edge HP Iron™ No-Hub (Hubless) Small Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.

ASTM A 888 & CISPI 301

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	------------------	--------	--------------------	------	------------------	--------	--------------------

Part No. HP NH 2 Edge HP No-Hub Pipe



2"x10'	16074	35.0	\$216.00
3"x10'	16075	54.1	299.00
4"x10'	16076	76.0	388.50



Part No. HP NH 4 Edge HP Quarter Bend

2	15410	2.9	\$31.50
3	15411	3.5	44.50
4	15412	6.0	66.00
4x3 Increasing Reducing	15592	5.5	134.00N



Part No. HP NH 4 Edge HP Long Quarter Bend

2x12	15582	5.4	\$89.50N
2x18	15583	8.8	138.00N
2x24	15584	10.7	181.50
3x12	15585	7.6	152.50N
4x12	15586	11.2	226.00N



Part No. HP NH 6 Edge HP Quarter Bend with 2" Side Inlet

3	15587	5.1	\$90.00N
4	15588	7.5	147.50N



Part No. HP NH 8 Edge HP Quarter Bend with 2" Heel Inlet

3	15415	5.6	\$70.50
4	15416	7.2	89.50



Part No. HP NH 8 A Edge HP Double Quarter Bend

2	15417	4.5	\$72.00
3	15589	7.1	115.50N
4	15590	9.7	152.50N



Part No. HP NH 8 B Edge HP Quarter Bend with Extended Low Heel Inlet

3x2	15601	7.8	\$125.00N
-----	-------	-----	------------------











N = Non-stock item; Contact customer service for availability.

See page 5 for pipe bundle quantities.












Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.












Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540. Failures in installations using couplings not supplied by Charlotte Pipe® are not the responsibility of this Company.

You can't beat the system.®

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
 Part No. HP NH 9 Edge HP Fifth Bend				 Part No. HP NH 20 Edge HP Wye			
2	15602	2.3	\$52.00N	2	15436	3.3	\$40.50
3	15603	3.7	73.50N	3x2	15437	3.4	44.00
4	15604	5.7	115.50N	3	15438	4.6	59.50
 Part No. HP NH 10 Edge HP Sixth Bend				4x2	15439	5.1	63.00
2	15418	2.2	\$33.50	4x3	15440	7.3	82.50
3	15605	3.2	43.50N	4	15441	9.1	95.00
4	15606	5.3	58.00N	 Part No. HP NH 21 Edge HP Double Wye			
 Part No. HP NH 12 Edge HP Eighth Bend				2	15618	4.5	\$64.50N
2	15419	1.6	\$27.50	3x2	15619	5.5	100.50N
3	15420	2.9	37.00	3	15620	7.9	119.00N
4	15421	3.9	48.50	4x2	15621	6.9	134.00N
2x12 Long	15607	4.6	86.00N	4x3	15622	8.9	151.00N
2x18 Long	15608	7.3	128.00N	4	15623	12.1	242.00N
3x12 Long	15609	7.4	136.00N	 Part No. HP NH 21 A Edge HP Upright Wye			
3x18 Long	15610	10.2	214.50N	2	15447	4.8	\$71.50
4x12 Long	15611	9.7	213.50N	3x2	15448	5.7	70.00
 Part No. HP NH 14 Edge HP Sixteenth Bend				3	15449	9.5	98.00
2	15424	1.4	\$28.00	4x2	15450	7.7	98.50
3	15425	2.1	33.00	4x3	15629	10.1	130.50N
4	15426	3.4	43.50	4	15630	12.9	258.50N
 Part No. HP NH 16 Edge HP Short Sweep				 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
2	15428	3.1	\$44.50	2	15451	3.5	\$46.50
3	15429	6.3	58.00	3x2	15452	5.7	58.00
4	15430	8.1	103.00	3	15453	8.5	73.50
 Part No. HP NH 18 Edge HP Long Sweep				4x2	15454	6.6	75.50
2	15433	5.8	\$70.00	4x3	15455	9.5	107.50
3	15434	9.4	84.00	4	15456	13.7	141.00
4	15435	12.3	134.00				
4x3 Reducing Increasing	15614	12.4	269.00N				








N = Non-stock item; Contact customer service for availability.

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
 Part No. HP NH 24 Edge HP Double Combination				 Part No. HP NH 30 Edge HP Sanitary Cross			
2	15631	6.6	\$110.50N	2	15471	5.0	\$75.00
3x2	15632	7.7	145.00N	3x2	15472	6.2	103.00
3	15633	11.8	170.50N	3	15649	7.6	115.50N
4x2	15634	8.3	211.50N	4x2	15650	7.3	147.00N
4x3	15635	13.7	221.50N	4x3	15651	8.5	178.00N
4	15636	20.5	334.50N	4	15473	11.0	219.00
 Part No. HP NH 25 Edge HP Figure Five Double Fixture Fitting				 Part No. HP NH 31 Edge HP Sanitary Tee (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)			
2	15637	6.0	\$106.50N	3x3 w/LH	15656	6.7	\$186.50N
3	15638	12.1	265.50N	3x3 w/RH	15657	6.3	186.50N
3x2x3x3 Reducing	15639	10.7	257.00N	4x4 w/LH	15659	8.7	261.50N
4	15640	22.5	432.00N	4x4 w/RH	15658	8.5	261.50N
4x2x4x4 Reducing	15641	18.5	411.50N	 Part No. HP NH 32 Edge HP Sanitary Tee (with 2" Right and Left Side Inlets)			
 Part No. HP NH 28 Edge HP Sanitary Tee				4x4 w/RH & LH	15660	10.9	\$331.50N
2	15464	2.8	\$44.00	 Part No. HP NH 32 B Edge HP Sanitary Tee (New Orleans Code, with 2" 45° Sanitary Inlet Above Center)			
3x2	15465	4.7	48.00	3 w/2 LH	15661	8.2	\$287.50N
3	15466	5.8	54.50	3 w/2 RH	15662	7.8	287.50N
4x2	15467	5.3	69.00	3 w/2 RH & LH	15663	9.1	556.50N
4x3	15468	7.6	79.00	4 w/2 LH	15665	10.7	439.00N
4	15469	8.5	103.00	4 w/2 RH	15664	10.4	439.00N
N = Non-stock item; Contact customer service for availability.				 Part No. HP NH 33 A Edge HP Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)			
 WARNING				4	15666	10.8	\$331.50N
Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.				 Part No. HP NH 33 C Edge HP Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlets Right and Left Above Center)			
				3 w/2RH & LH	15667	9.0	\$306.00N
<ul style="list-style-type: none"> • NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings. • NEVER test Cast Iron pipe or fittings with compressed air or gas. • ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications. 				4 w/2 RH & LH	15668	11.9	385.00N

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each																																								
<div><div>Side View</div><div>Top View</div></div> <div>Part No. HP NH 33 F Edge HP Sanitary Cross (New Orleans Code, with Two 2" 45° Sanitary Inlets Same Side)</div> <table><tr><td>3</td><td>15669</td><td>9.8</td><td>\$405.00N</td></tr><tr><td>4</td><td>15670</td><td>13.8</td><td>541.00N</td></tr></table>				3	15669	9.8	\$405.00N	4	15670	13.8	541.00N	<div></div> <div>Part No. HP NH 40 Edge HP Increaser-Reducer</div> <table><tr><td>2x3</td><td>15674</td><td>3.3</td><td>\$54.50N</td></tr><tr><td>2x4</td><td>15675</td><td>4.4</td><td>94.00N</td></tr><tr><td>3x4</td><td>15676</td><td>5.0</td><td>73.50N</td></tr></table>				2x3	15674	3.3	\$54.50N	2x4	15675	4.4	94.00N	3x4	15676	5.0	73.50N																				
3	15669	9.8	\$405.00N																																												
4	15670	13.8	541.00N																																												
2x3	15674	3.3	\$54.50N																																												
2x4	15675	4.4	94.00N																																												
3x4	15676	5.0	73.50N																																												
<div><div>Side View</div><div>Top View</div></div> <div>Part No. HP NH 33 G Edge HP Sanitary Cross (with 3" Vent and Two 2" 45° Inlets)</div> <table><tr><td>4x3x4x2x2</td><td>15671</td><td>20.3</td><td>\$781.00N</td></tr></table>				4x3x4x2x2	15671	20.3	\$781.00N	<div></div> <div>Part No. HP NH 40 A Edge HP Short Reducer</div> <table><tr><td>3x2</td><td>15477</td><td>1.8</td><td>\$23.00</td></tr><tr><td>4x2</td><td>15478</td><td>2.3</td><td>35.00</td></tr><tr><td>4x3</td><td>15479</td><td>2.3</td><td>35.00</td></tr></table>				3x2	15477	1.8	\$23.00	4x2	15478	2.3	35.00	4x3	15479	2.3	35.00																								
4x3x4x2x2	15671	20.3	\$781.00N																																												
3x2	15477	1.8	\$23.00																																												
4x2	15478	2.3	35.00																																												
4x3	15479	2.3	35.00																																												
<div></div> <div>Part No. HP NH 34 Edge HP Sanitary Tapped Tee</div> <table><tr><td>2x1½</td><td>15990</td><td>3.1</td><td>\$52.00N</td></tr><tr><td>2x2*</td><td>16144</td><td>3.8</td><td>59.00N</td></tr><tr><td>3x1½*</td><td>16145</td><td>3.6</td><td>69.50N</td></tr><tr><td>3x2*</td><td>16146</td><td>4.9</td><td>80.00N</td></tr><tr><td>3x3*</td><td>16147</td><td>7.3</td><td>146.50N</td></tr></table>				2x1½	15990	3.1	\$52.00N	2x2*	16144	3.8	59.00N	3x1½*	16145	3.6	69.50N	3x2*	16146	4.9	80.00N	3x3*	16147	7.3	146.50N	<div></div> <div>Part No. HP NH 42 Edge HP P Trap</div> <table><tr><td>2</td><td>15484</td><td>4.7</td><td>\$46.50</td></tr><tr><td>3</td><td>15485</td><td>8.9</td><td>101.50</td></tr><tr><td>4</td><td>15486</td><td>17.0</td><td>180.50</td></tr><tr><td>2x12 Long</td><td>15680</td><td>6.1</td><td>124.50N</td></tr><tr><td>2x18 Long</td><td>15681</td><td>8.0</td><td>155.00N</td></tr></table>				2	15484	4.7	\$46.50	3	15485	8.9	101.50	4	15486	17.0	180.50	2x12 Long	15680	6.1	124.50N	2x18 Long	15681	8.0	155.00N
2x1½	15990	3.1	\$52.00N																																												
2x2*	16144	3.8	59.00N																																												
3x1½*	16145	3.6	69.50N																																												
3x2*	16146	4.9	80.00N																																												
3x3*	16147	7.3	146.50N																																												
2	15484	4.7	\$46.50																																												
3	15485	8.9	101.50																																												
4	15486	17.0	180.50																																												
2x12 Long	15680	6.1	124.50N																																												
2x18 Long	15681	8.0	155.00N																																												
<div></div> <div>Part No. HP NH 35 S Edge HP Sanitary Tapped Cross with Southern Raised-Head Brass Plugs Installed</div> <table><tr><td>2x1½</td><td>16561</td><td>4.4</td><td>\$142.00N</td></tr></table>				2x1½	16561	4.4	\$142.00N	<div></div> <div>Part No. HP NH 43 Edge HP P Trap with 1/2" Tap in Heel</div> <table><tr><td>2</td><td>16520</td><td>5.0</td><td>\$105.50N</td></tr><tr><td>3</td><td>16521</td><td>11.1</td><td>167.00N</td></tr><tr><td>4</td><td>16522</td><td>17.9</td><td>293.50N</td></tr></table>				2	16520	5.0	\$105.50N	3	16521	11.1	167.00N	4	16522	17.9	293.50N																								
2x1½	16561	4.4	\$142.00N																																												
2	16520	5.0	\$105.50N																																												
3	16521	11.1	167.00N																																												
4	16522	17.9	293.50N																																												
<div><div>IPS TAP</div></div> <div>Part No. HP NH 36 S Edge HP Test Tee with Southern Raised-Head Brass Plug Installed</div> <table><tr><td>2</td><td>2</td><td>15474</td><td>3.3</td><td>\$74.00</td></tr><tr><td>3</td><td>3</td><td>15475</td><td>6.3</td><td>124.00</td></tr><tr><td>4</td><td>4</td><td>15476</td><td>10.1</td><td>210.50</td></tr></table>				2	2	15474	3.3	\$74.00	3	3	15475	6.3	124.00	4	4	15476	10.1	210.50	<div></div> <div>Part No. HP NH 44 A Edge HP Deep Seal P Trap</div> <table><tr><td>2</td><td>15683</td><td>7.1</td><td>\$108.50N</td></tr><tr><td>3</td><td>15684</td><td>11.0</td><td>175.00N</td></tr><tr><td>4</td><td>16200</td><td>18.6</td><td>278.50N</td></tr></table>				2	15683	7.1	\$108.50N	3	15684	11.0	175.00N	4	16200	18.6	278.50N													
2	2	15474	3.3	\$74.00																																											
3	3	15475	6.3	124.00																																											
4	4	15476	10.1	210.50																																											
2	15683	7.1	\$108.50N																																												
3	15684	11.0	175.00N																																												
4	16200	18.6	278.50N																																												
				<div></div> <div>Part No. HP NH 45 Edge HP Running Trap with Vent</div> <table><tr><td>4</td><td>15685</td><td>20.5</td><td>\$305.00N</td></tr></table>				4	15685	20.5	\$305.00N																																				
4	15685	20.5	\$305.00N																																												

* Fitting shipped with plug installed

N = Non-stock item; Contact customer service for availability.

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each		
<div></div> <div>Part No. HP NH 45 A Edge HP Running Trap with Double Vent</div>				<div></div> <div>Part No. HP NH 53 A Edge HP Double Two-Way Cleanout</div>					
4	15686	21.4	\$385.00N	4	15691	15.0	\$298.00N		
<div></div> <div>Part No. HP NH 50 Edge HP Blind Plug</div>				<div></div> <div>Part No. HP NH 54 Edge HP Two-Way Baffle Cleanout</div>					
2	15488	0.7	\$16.00	3x3x4	15692	14.2	\$427.50N		
3	15489	1.1	23.00	4x4x4	15693	23.5	414.00N		
4	15490	2.0	36.50						
<div></div> <div>Part No. HP NH 52 S Edge HP Tapped Ferrule with Southern Raised-Head Brass Plug Installed</div>				<div></div> <div>Part No. HP NH 56 Edge HP Notched and Slotted Closet Collar</div>					
IPS TAP				Connects To					
2	1½	15492	1.1	\$64.50	4x3x3½	3" Pipe	15694	3.4	\$65.50N
2	2	16402	2.1	73.50N	4x3x8	3" Pipe	15695	6.1	144.00N
3	2½	15493	2.3	82.50	4x4x4	4" Pipe	15696	4.9	77.00N
4	3½	15494	3.2	113.00	4x4x8	4" Pipe	15697	7.2	185.00N
<div></div> <div>Part No. HP NH 53 Edge HP Single Two-Way Cleanout</div>				N = Non-stock item; Contact customer service for availability.					
4	15690	16.0	\$325.50N						

Note: Dimensions and tolerances for No-Hub pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

TEN FOOT PIPE BUNDLES NO-HUB PIPE

Size	Pieces	Weight	Height
2 x 10	54	1906	11"
3 x 10	36	1944	14"
4 x 10	27	2052	17"

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS

SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP NO-HUB (HUBLESS) PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI).

CISPI Standard 301

ASTM A 888

Meets the performance requirements of EN 877

Listed by NSF® International to the UP Code

ISO 9001:2015 Certified

NO-HUB (HUBLESS) COUPLINGS

Cast Iron Soil Pipe Institute Standard No. 310

ASTM C 1277

Certified by NSF® International

NO-HUB (HUBLESS) HEAVY DUTY COUPLINGS

ASTM C 1540

Factory Mutual 1680

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235
SALES PHONE (704) 348 6450 (800) 572 4199
TECHNICAL PHONE (800) 438 6091 FAX (800) 553 1605
WWW.CHARLOTTEPIPE.COM

CHARLOTTE

PIPE AND FOUNDRY COMPANY®

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by
Charlotte Pipe and Foundry Company
are proudly made in the U.S.A.

