



List Price Schedule HP-SV-LD-122 Effective January 1, 2022 (Updated May 1, 2023) Supersedes Price Schedule HP-SV-LD-921

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company. ©2020-2023 Charlotte Pipe and Foundry Company

>> Edge HP Iron™ Service Large Diameter Cast Iron Soil Pipe and Fittings



Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.

Size SITAZ- Weight Each Size SITAZ- Weight Each	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
---	------	------------------	--------	--------------------	------	------------------	--------	--------------------

Part No. HP SV 3 Edge HP Pipe, 10' Lengths, Single Hub

	65	UPC@	The Quiet Pipe 🔞	USA	CHARLOTTE	PIPE®	EDGE HP	IRON	USA
-	6"	x10'		16	5085	122	.8	\$5	595.40
	8"	x10'		16	5086	190	.0	9	927.00
Ī	10	"x10"		16	5087	276	.1	1,5	542.80
Ī	12	"x10"		16	8806	345	.9	2,2	241.20
	15	"x10"		16	5089	525	.1	3,2	275.70



6"x30"

Part No. HP SV 4 Edge HP Pipe, 30" Lengths, Double Hub

38.2

\$518.00N

EVE B	Part No. F Edge HP (IP SV 5 Juarter Bend	
6	15500	21.7	\$167.50
8	15746	39.9	504.60N
10	16011	57.3	737.50N
12	16035	90.9	999.20N

16582


	Part No. H Edge HP S	IP SV 7 Sixth Bend	
6	15750	16.4	\$209.40N
8	15761	32.5	456.60N

Note: Shading indicates new items.

N = Non-stock item; Contact customer service for availability.

* Please see Edge HP Iron Extra Heavy price sheet. See page 5 for pipe bundle quantities.

You can't beat the system.®



	Part No. HP SV 9 Edge HP Sixteenth Bend			
6	15508	13.8	\$111.20	
8	15763	26.0	389.90N	
10	16010	37.1	599.10N	
12	16034	63.3	1 408 30N	



15*

Part No. HP SV 26 Edge HP Long Eighth Bend

6x18	15782	29.3	\$417.00N

Part No. HP SV 29

na	Eage Hr Short Sweep Bena				
\$249.80	26.6	15515	6		
542.00N	39.5	15783	8		
1,112.90N	75.3	16020	10		
2,589.20N	109.3	16044	12		

	Part No. H Edge HP L	P SV 30 ong Sweep Be	nd
6	15519	29.9	\$2

\$294.30	29.9	15519	6
666.00N	52.9	15784	8
1,125.90N	82.6	16016	10
1,824.60N	103.6	16040	12



a.	*UPC#		List Price		*UPC#	List Price
Size	611942-	Weight	Each	Size	611942- W	eight Each



Part No. HP SV 33 Edge HP Combination Wye and Eighth Bend

(Long Turn Pattern)

6x2	15787	19.6	\$261.30N
6x3	15788	24.7	278.10N
6x4	15527	31.7	292.00
6	15528	44.2	405.00
8x2	15789	34.0	551.00N
8x4	15790	43.2	485.40N
8x6	15791	55.7	666.30N
8	15792	85.6	999.20N



Part No. SV 35 F Edge HP Double Combination Wye and Eighth Bend [Long Turn Pattern]

\$784.10N	45.0	15800	6x4
1.198.20N	69.6	15801	6



Part No. HP SV 42 Edge HP Straight Tee

\$309.20N	21.5	15809	6x4
371.30N	22.7	15810	6
680.90N	33.2	15811	8x4



Part No. HP SV 43 Edge HP Sanitary Tee

6x2	15813	15.7	\$225.20N
6x3	15814	21.1	233.00N
6x4	15537	22.8	325.30
6	15815	29.8	287.40N
8x4	15816	35.7	486.90N
8x6	15817	43.0	642.50N
8	15818	54.0	761.30N
10x4	16024	52.0	1,000.80N
10x6	16028	61.6	1,099.20N
10x8	16032	68.0	1,303.40N
10	16019	75.9	1,396.70N
12x6	16054	79.0	1,699.20N
12x8	16058	94.6	1,990.40N
12x10	16048	107.0	2,173.50N
12	16043	124.6	2,468.60N
15x6	16068	135.6	4,283.50N
15x8	16071	158.9	4,151.20N
15x12	16064	189.6	4,589.70N

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 44 Edge HP Wye

6x2	15544	19.7	\$223.20N
6x3	15545	23.7	227.80N
6x4	15546	26.7	225.70
6	15547	36.5	334.70
8x2	15819	32.7	502.10N
8x3	15820	36.6	499.10N
8x4	15821	38.3	430.80N
8x6	15822	49.6	534.80N
8	15823	58.4	818.20N
10x3	16022	54.0	749.90N
10x4	16025	55.4	737.50N
10x6	16029	67.6	804.10N
10x8	16033	86.9	1,103.80N
10	16021	111.1	1,322.20N
12x4	16051	75.3	1,246.60N
12x6	16055	94.2	1,284.60N
12x8	16059	110.0	1,602.90N
12x10	16049	131.0	2,942.10N
12	16046	162.0	3,339.30N
15x4	16066	138.5	4,166.70N
15x6	16069	153.6	4,354.00N
15x8	16072	187.1	4,434.80N
15x10	16062	225.0	4,599.30N
15x12	16065	244.4	4,687.70N
15*			



Part No. HP SV 72 Edge HP Double Two-Way Cleanout

6x4x4	15832	39.1	\$567.60N

* Please see Edge HP Extra Heavy price sheet.



*UPC# List Price *UPC# List Price Size 611942- Weight Each Size 611942- Weight Each



Part No. HP SV 79 Edge HP Washington Test Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$703.90N	26.9	15835	6	6	
1,157.30N	44.5	15836	8	8	



Part No. HP SV 80 Edge HP Cleanout Tee with Southern Raised-Head Brass Plug Installed

	J			IPS TAP		
\$878.20N		25.3	15839	4	6	
2,567.80N		94.5	16045	8	12	

Cleanout Tees can be ordered <u>only</u> with Southern Code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



Part No. HP SV 81 S Edge HP Miami Test Tee with Southern Raised-Head Brass Plug Installed

	IPS Tap			
6	6	15843	25.0	\$868.20N



Part No. HP SV 109 Edge HP Sanitary Cross

\$430.90N	29.0	15852	6x4
527.50N	32.8	15853	6
1,487.60N	57.7	15854	8

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 110 Edge HP Double Wye

\$466.10N	24.6	15861	6x3
446.50N	31.8	15862	6x4
609.00N	47.8	15863	6
1,017.30N	47.6	15864	8x4
1,045.30N	57.3	15865	8x6
1,468.50N	92.4	15866	8
2,230.20N	73.7	16026	10x6
3,414.50N	99.0	16030	10x8
3,538.90N	159.6	16014	10
4,137.30N	103.2	16052	12x6
4,058.60N	126.5	16056	12x8
4,050.70N	216.1	16038	12



Part No. HP SV 143 Edge HP Reducer

6x2	15875	8.2	\$122.80N
6x3	15876	9.9	120.10N
6x4	15553	10.4	118.30
8x3	15877	14.3	229.80N
8x4	15878	16.6	197.50N
8x6	15879	16.9	202.50N
10x4	16023	20.0	297.10N
10x6	16027	22.2	332.70N
10x8	16031	26.6	333.10N
12x4	16050	32.3	484.20N
12x6	16053	34.4	518.90N
12x8	16057	37.3	533.40N
12x10	16047	38.4	542.00N
15x6	16067	52.3	1,012.20N
15x8	16070	50.1	1,100.10 <mark>N</mark>
15x10	16061	55.7	1,140.30N
15x12	16063	68.7	1,153.70N



Part No. HP SV 144 Edge HP Increaser

6x8	15884	24.0	\$385.10N
8x10	16073	40.3	707.60N



Part No. HP SV 153 Edge HP Double Hub Fitting

\$157.90N	13.3	15887	6
415.80N	24.5	15888	8
874.40N	36.3	16013	10
1.266.90N	46.3	16037	12



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
- 11								

Elant (Sq.	Part No. H Edge HP F		
6	15889	7.5	\$75.50N
8	15890	12.4	184.80N
10	16017	17.7	260.90N
12	16041	25.9	380.00N
	-		

	Part No. H Edge HP F		
6	15891	42.0	\$486.90N
8	15892	86.2	1,468.60N

45.1	\$1,371.40N
	V 170 ning Trap

	Part No. SV 174 Edge HP Running Trap with Single Hub Vent
Vant Sina	

			Vent Size	
\$1,430.50N	45.9	15897	4	6
6,616.90N	104.3	15898	4	8
5.110.50N	99.7	15899	6	8

			HP SV 175 Running Trap v	vith Double Hub
	Vent Size			
6	4	15902	57.3	\$1,434.60N
6	6	15903	61.5	1,753.00N
8	4	15904	104.3	6,397.10N
8	6	15905	107.4	6,570.50N
10	8	16018	187.0	7,398.90N
12	10	16042	287.6	10,416.20N
15	12	16060	460.0	22,680.10N

ES CONTRACTOR	Part No. H Deep Seal		
6	15909	40.5	\$607.80

20.1.2 fee		Edge HP I	P SV 228 S ron Body Clea hern Raised-H	nout Ferrule - ead Brass Plug
	Тар	15575	/ [¢224.70
6	5	15575	6.5	\$234.60
8	6	15937	13.9	470.60N
10	6	16015	18.5	586.10N
12	6	16039	27.7	703.10N

	Part No. H Edge HP S	IP SV 253 Sission Inserta	able Joint
6	15941	20.4	\$348.70N
8	15942	37.0	690.70N

WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

N = Non-stock item; Contact customer service for availability.



Note: Dimensions and tolerances for Service pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS

COMPRESSION GASKETS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74

ASTM C 564 CISPI HSN 85

Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

CHARLOTTE® SPEED PAK

TEN FOOT PIPE BUNDLES

SERVICE							
	SIZE	PIECES	WEIGHT	HEIGHT			
Single	6x10′	18	2211	23"			
Single Hub	8x10′	8	1444	22"			
	10x10'	6	1558	27"			
	12x10′	6	2075	30"			
	15x10′	2	1050	23"			

30" SINGLE HUB PIPE BUNDLES

SERVICE						
	SIZE	PIECES	WEIGHT	HEIGHT		
30″	8x30"	11	645	24"		
Single	10x30"	8	733	24"		
Hub	12x30"	6	643	28"		
	15x30"	2	333	34"		

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.



PAGE FOR YOUR NOTES



P0 B0X 35430

CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605 WWW.CHARLOTTEPIPE.COM



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

