



List Price Schedule HP-SV-LD-126 Effective January 1, 2026 Supersedes Price Schedule HP-SV-LD-124

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020-2025 Charlotte Pipe and Foundry Company

>> Edge HP Iron™ Service Large Diameter Cast Iron Soil Pipe and Fittings

s R




Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.

|--|

Part No. HP SV 3 Edge HP Pipe, 10' Lengths, Single Hub

₩ UPC®	The Quiet Pipe 📵	USA CHARLOTTE	PIPE® EDGE H	P IRON USA
6"x10"		16085	122.8	\$774.70
8"x10'		16086	190.0	1,205.30
10"x10'		16087	276.1	2,006.30
12"x10'		16088	345.9	2,914.70
15"x10'		16089	525.1	4,258.90



6" x 30"	16582	38.2	\$672.60N

(6)	
	Part No. HP SV 5
	Edge HP Quarter Bend


\$217.90	21.7	15500	6
655.80N	39.9	15746	8
958.90N	57.3	16011	10
1,298.90N	90.9	16035	12
			15*

	Part No. HP SV 7 Edge HP Sixth Bend		
6	15750	16.4	\$272.60N
8	15761	32 5	593 70N

N = Non-stock item; Contact customer service for availability.

* Please see Edge HP Iron Extra Heavy price sheet. See page 5 for pipe bundle quantities.

You can't beat the system.®



	Part No. H Edge HP S	d	
6	15508	13.8	\$144.20
8	15763	26.0	507.40N
10	16010	37.1	778.90N
12	16034	63.3	1,831.60N
15*			



Part No. HP SV 26 Edge HP Long Eighth Bend

6x18	15782	29.3	\$542.10N



\$325.30	26.6	15515	6
704.20N	39.5	15783	8
1,447.40N	75.3	16020	10
3.366.30N	109.3	16044	12

Part No. H Edge HP L	P SV 30 ong Sweep Bend
	000

\$383.20	29.9	15519	6
866.30N	52.9	15784	8
1,464.20N	82.6	16016	10
2,372.60N	103.6	16040	12



	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each



Part No. HP SV 33 Edge HP Combination Wye and Eighth Bend

(Long Turn Pattern)

6x2	15787	19.6	\$340.00N
6x3	15788	24.7	362.10N
6x4	15527	31.7	380.00
6	15528	44.2	526.30
8x2	15789	34.0	716.80N
8x4	15790	43.2	631.60N
8x6	15791	55.7	866.30N
8	15792	85.6	1,298.90N



Part No. SV 35 F Edge HP Double Combination Wye and Eighth Bend (Long Turn Pattern)

\$1,020.00N	45.0	15800	6x4
1 557 90N	69.6	15801	6



Part No. HP SV 42 Edge HP Straight Tee

\$402.10N	21.5	15809	6x4
483.20N	22.7	15810	6
885.30N	33.2	15811	8x4



Part No. HP SV 43 Edge HP Sanitary Tee

6x2	15813	15.7	\$292.60N
6x3	15814	21.1	303.20N
6x4	15537	22.8	423.20
6	15815	29.8	373.70N
8x4	15816	35.7	632.60N
8x6	15817	43.0	835.80N
8	15818	54.0	989.50N
10x4	16024	52.0	1,301.10N
10x6	16028	61.6	1,429.50N
10x8	16032	68.0	1,694.70N
10	16019	75.9	1,815.80N
12x6	16054	79.0	2,209.50N
12x8	16058	94.6	2,588.40N
12x10	16048	107.0	2,826.30N
12	16043	124.6	3,209.50N
15x6	16068	135.6	5,569.50N
15x8	16071	158.9	5,397.90N
15x12	16064	189.6	5,968.40N

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 44 Edge HP Wye

15544	19.7	\$290.50N
15545	23.7	295.80N
15546	26.7	293.70
15547	36.5	434.70
15819	32.7	652.60N
15820	36.6	649.50N
15821	38.3	560.00N
15822	49.6	695.80N
15823	58.4	1,064.20N
16022	54.0	974.70N
16025	55.4	958.90N
16029	67.6	1,045.30N
16033	86.9	1,435.80N
16021	111.1	1,718.90N
16051	75.3	1,621.10N
16055	94.2	1,670.50N
16059	110.0	2,084.20N
16049	131.0	3,825.30N
16046	162.0	4,342.10N
16066	138.5	5,417.90N
16069	153.6	5,662.10N
16072	187.1	5,766.30 N
16062	225.0	5,980.00 N
16065	244.4	6,095.80N
	15545 15546 15547 15819 15820 15821 15822 15823 16022 16025 16029 16033 16021 16051 16055 16059 16049 16046 16066 16069 16072 16062	15545 23.7 15546 26.7 15547 36.5 15819 32.7 15820 36.6 15821 38.3 15822 49.6 15823 58.4 16022 54.0 16025 55.4 16029 67.6 16033 86.9 16021 111.1 16051 75.3 16055 94.2 16049 131.0 16046 162.0 16066 138.5 16072 187.1 16062 225.0



Part No. HP SV 72 Edge HP Double Two-Way Cleanout

6x4x4	15832	39.1	\$737.90N

* Please see Edge HP Extra Heavy price sheet.



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942- Weight	List Price Each
Ш	3120	011772-	Weight	Lacii	3120	OII/72- Weight	Lacii



Part No. HP SV 79 Edge HP Washington Test Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$915.80N	26.9	15835	6	6	
1,505.30N	44.5	15836	8	8	



Part No. HP SV 80 Edge HP Cleanout Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$1,142.10N	25.3	15839	4	6	
3,338.90N	94.5	16045	8	12	

Cleanout Tees can be ordered <u>only</u> with Southern Code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



Part No. HP SV 81 S Edge HP Miami Test Tee with Southern Raised-Head Brass Plug Installed

IPS Tap

6 6 15843 25.0 \$1,128.40N



Part No. HP SV 109 Edge HP Sanitary Cross

6x4	15852	29.0	\$560.00N
6	15853	32.8	686.30N
8	15854	57.7	1,934.70N

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 110 Edge HP Double Wye

6x3	15861	24.6	\$606.30N
6x4	15862	31.8	581.10N
6	15863	47.8	791.60N
8x4	15864	47.6	1,323.20N
8x6	15865	57.3	1,358.90N
8	15866	92.4	1,909.50N
10x6	16026	73.7	2,900.00N
10x8	16030	99.0	4,440.00N
10	16014	159.6	4,602.10N
12x6	16052	103.2	5,380.00N
12x8	16056	126.5	5,277.90N
12	16038	216.1	5,267.40N



Part No. HP SV 143 Edge HP Reducer

\$160.00N	8.2	15875	6x2
155.80N	9.9	15876	6x3
153.70	10.4	15553	6x4
298.90N	14.3	15877	8x3
256.80N	16.6	15878	8x4
263.20N	16.9	15879	8x6
386.30N	20.0	16023	10x4
432.60N	22.2	16027	10x6
432.60N	26.6	16031	10x8
629.50N	32.3	16050	12x4
674.70N	34.4	16053	12x6
693.70N	37.3	16057	12x8
704.20N	38.4	16047	12x10
1,315.80N	52.3	16067	15x6
1,430.50N	50.1	16070	15x8
1,483.20N	55.7	16061	15x10
1,500.00N	68.7	16063	15x12



Part No. HP SV 144 Edge HP Increaser

\$501.10N	24.0	15884	6x8
920.00N	40.3	16073	8x10



Part No. HP SV 153 Edge HP Double Hub Fitting

\$205.30N	13.3	15887	6
541.10N	24.5	15888	8
1,136.80N	36.3	16013	10
1,647.40N	46.3	16037	12



Serve E.	Part No. H Edge HP F		
6	15889	7.5	\$97.90N
8	15890	12.4	240.00N
10	16017	17.7	338.90N
12	16041	25.9	493.70N

	Part No. H Edge HP F		
6	15891	42.0	\$632.60N
8	15892	86.2	1,909.50N

	Part No. H Edge HP F	P SV 170 Running Trap	
6	15894	45.1	\$1,783.20N
6	15894	45.1	\$1,783.20N



Part No. SV 174 Edge HP Running Trap with Single Hub Vent

			Vent Size	
\$1,860.00N	45.9	15897	4	6
8,604.20N	104.3	15898	4	8
6.645.30N	99.7	15899	6	8

-U -	Part No. HP SV 175 Edge HP Running Trap with Double Hub Vent
Vent Size	

\$1,865.30N	57.3	15902	4	6
2,280.00N	61.5	15903	6	6
8,317.90N	104.3	15904	4	8
8,544.20N	107.4	15905	6	8
9,621.10N	187.0	16018	8	10
13,544.20N	287.6	16042	10	12
29,491.60N	460.0	16060	12	15

	W 100	Part No. H Deep Sea		
6		15909	40.5	\$790.50
wilder -	Tap	Edge HP I	IP SV 228 S ron Body Clear hern Raised-H	nout Ferrule - ead Brass Plug
6	5	15575	6.5	\$305.30
8	6	15937	13.9	611.60 <mark>N</mark>
10	6	16015	18.5	762.10N
12	6	16039	27.7	914.70N

	Part No. H Edge HP S	IP SV 253 Sission Inserta	able Joint
6	15941	20.4	\$453.70N
8	15942	37.0	897.90N

A WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

N = Non-stock item; Contact customer service for availability.



Note: Dimensions and tolerances for Service pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS

COMPRESSION GASKETS
ASTM C 564
CISPI HSN 85

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74

Meets the performance requirements of EN 877

Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

CHARLOTTE® SPEED PAK

TEN FOOT PIPE BUNDLES

SERVICE					
	SIZE	PIECES	WEIGHT	HEIGHT	
Single	6x10′	18	2211	23"	
Single Hub	8x10′	8	1444	22"	
	10×10′	6	1558	27"	
	12x10′	6	2075	30"	
	15x10′	2	1050	23"	

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.