



List Price Schedule HP-SV-LD-422 Effective April 1, 2022 (Updated January 15, 2025) Supersedes Price Schedule HP-SV-LD-122

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company. ©2020-2025 Charlotte Pipe and Foundry Company

## >> Edge HP Iron™ Service Large Diameter Cast Iron Soil Pipe and Fittings





\$130.80

458.70N


704.80N

1,656.80N

Size O11742- Weight Lath Size O11742- Weight Lath	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
---	------	------------------	--------	--------------------	------	------------------	--------	--------------------

#### Part No. HP SV 3 Edge HP Pipe, 10' Lengths, Single Hub

& UPC®	The Quiet Pipe 🔞	USA CHARLOTTE	PIPE® EDGE H	IP IRON USA
6"x10"		16085	122.8	\$700.50
8"x10'		16086	190.0	1,090.60
10"x10"		16087	276.1	1,815.10
12"x10'		16088	345.9	2,636.70
15"x10'		16089	525.1	3,853.80



Part No. HP SV 8

Part No. HP SV 9

15508

15763

16010

16034

**Edge HP Sixteenth Bend** 

13.8

26.0

37.1

63.3



Part No. HP SV 4 Edge HP Pipe, 30" Lengths, Double Hub

			4
	Part No. H Edge HP (	IP SV 5 Juarter Bend	
EV 7			, , , , , , , , , , , , , , , , , , , ,
6" x 30"	16582	38.2	\$609.00N

	_		
6	15500	21.7	\$197.10
8	15746	39.9	593.60N
10	16011	57.3	867.60N
12	16035	90.9	1,175.50N
15*			



6 8

10

12

15\*

#### Part No. HP SV 26 Edge HP Long Eighth Bend

6x18	15782	29.3	\$490.60N

as a	Part No. F Edge HP S		
6	15750	16.4	\$246.40N
8	15761	32.5	537.20N

\$246.40N	16.4	15750	6
537.20N	32.5	15761	8

Part No. HP SV 29 **Edge HP Short Sweep Bend** 

\$293.90	26.6	15515	6
637.60N	39.5	15783	8
1,309.30N	75.3	16020	10
3,046.10N	109.3	16044	12

Note: Shading indicates new items. N = Non-stock item; Contact customer service for availability.

\* Please see Edge HP Iron Extra Heavy price sheet. See page 5 for pipe bundle quantities.

# You can't beat the system.®



\$346.20	29.9	15519	6
783.50N	52.9	15784	8
1,324.60N	82.6	16016	10
2,146.60N	103.6	16040	12



o.	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each



#### Part No. HP SV 33 Edge HP Combination Wye and Eighth Bend

(Long Turn Pattern)

6x2	15787	19.6	\$307.40N
6x3	15788	24.7	327.20N
6x4	15527	31.7	343.50
6	15528	44.2	476.50
8x2	15789	34.0	648.20N
8x4	15790	43.2	571.10N
8x6	15791	55.7	783.90N
8	15792	85.6	1,175.50N



#### Part No. SV 35 F Edge HP Double Combination Wye and Eighth Bend (Long Turn Pattern)

\$922.50N	45.0	15800	6x4
1,409.60N	69.6	15801	6



#### Part No. HP SV 42 Edge HP Straight Tee

\$363.80N	21.5	15809	6x4
436.80N	22.7	15810	6
801.10N	33.2	15811	8x4



#### Part No. HP SV 43 Edge HP Sanitary Tee

6x2	15813	15.7	\$264.90N
6x3	15814	21.1	274.10N
6x4	15537	22.8	382.70
6	15815	29.8	338.10N
8x4	15816	35.7	572.80N
8x6	15817	43.0	755.90N
8	15818	54.0	895.60N
10x4	16024	52.0	1,177.40N
10x6	16028	61.6	1,293.20N
10x8	16032	68.0	1,533.40N
10	16019	75.9	1,643.20N
12x6	16054	79.0	1,999.10N
12x8	16058	94.6	2,341.60N
12x10	16048	107.0	2,557.10N
12	16043	124.6	2,904.20N
15x6	16068	135.6	5,039.40N
15x8	16071	158.9	4,883.80N
15x12	16064	189.6	5,399.60N

N = Non-stock item; Contact customer service for availability.



#### Part No. HP SV 44 Edge HP Wye

6x2	15544	19.7	\$262.60N
6x3	15545	23.7	268.00N
6x4	15546	26.7	265.50
6	15547	36.5	393.80
8x2	15819	32.7	590.70N
8x3	15820	36.6	587.20N
8x4	15821	38.3	506.80N
8x6	15822	49.6	629.20N
8	15823	58.4	962.60N
10x3	16022	54.0	882.20N
10x4	16025	55.4	867.60N
10x6	16029	67.6	946.00N
10x8	16033	86.9	1,298.60N
10	16021	111.1	1,555.50N
12x4	16051	75.3	1,466.60N
12x6	16055	94.2	1,511.30N
12x8	16059	110.0	1,885.80N
12x10	16049	131.0	3,461.30N
12	16046	162.0	3,928.60N
15x4	16066	138.5	4,902.00N
15x6	16069	153.6	5,122.40N
15x8	16072	187.1	5,217.40N
15x10	16062	225.0	5,410.90N
15x12	16065	244.4	5,514.90N
15*	-	-	



#### Part No. HP SV 72 Edge HP Double Two-Way Cleanout

6x4x4	15832	39.1	\$667.80N

\* Please see Edge HP Extra Heavy price sheet.



Sizo	*UPC#	Wainht	List Price	Cino	*UPC# 611942- Weight	List Price
Size	611942-	Weight	Each	Size	611942- Weight	Each



#### Part No. HP SV 79 Edge HP Washington Test Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$828.10N	26.9	15835	6	6	
1.361.50N	44.5	15836	8	8	



#### Part No. HP SV 80 Edge HP Cleanout Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$1,033.20N	25.3	15839	4	6	-
3,020.90N	94.5	16045	8	12	

Cleanout Tees can be ordered <u>only</u> with Southern Code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



#### Part No. HP SV 81 S Edge HP Miami Test Tee with Southern Raised-Head Brass Plug Installed

IPS Tap

6 6 15843 25.0 **\$1,021.40N** 



#### Part No. HP SV 109 Edge HP Sanitary Cross

\$506.90N	29.0	15852	6x4
620.60N	32.8	15853	6
1,750.10N	57.7	15854	8

N = Non-stock item; Contact customer service for availability.



#### Part No. HP SV 110 Edge HP Double Wye

6x3	15861	24.6	\$548.40N
6x4	15862	31.8	525.30N
6	15863	47.8	716.50N
8x4	15864	47.6	1,196.80 <mark>N</mark>
8x6	15865	57.3	1,229.80N
8	15866	92.4	1,727.60N
10x6	16026	73.7	2,623.80N
10x8	16030	99.0	4,017.10N
10	16014	159.6	4,163.40N
12x6	16052	103.2	4,867.40N
12x8	16056	126.5	4,774.80N
12	16038	216.1	4,765.50N



#### Part No. HP SV 143 Edge HP Reducer

6x2	15875	8.2	\$144.50N
6x3	15876	9.9	141.30N
6x4	15553	10.4	139.20
8x3	15877	14.3	270.40N
8x4	15878	16.6	232.40N
8x6	15879	16.9	238.20N
10x4	16023	20.0	349.50N
10x6	16027	22.2	391.40N
10x8	16031	26.6	391.90N
12x4	16050	32.3	569.60N
12x6	16053	34.4	610.50N
12x8	16057	37.3	627.50N
12x10	16047	38.4	637.60N
15x6	16067	52.3	1,190.80N
15x8	16070	50.1	1,294.20N
15x10	16061	55.7	1,341.50N
15x12	16063	68.7	1,357.30N



#### Part No. HP SV 144 Edge HP Increaser

\$453.10N	24.0	15884	6x8
832.50N	40.3	16073	8x10



#### Part No. HP SV 153 Edge HP Double Hub Fitting

\$185.80N	13.3	15887	6
489.20N	24.5	15888	8
1,028.70N	36.3	16013	10
1,490.50N	46.3	16037	12



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	------------------	--------	--------------------	------	------------------	--------	--------------------



#### Part No. HP SV 155 Edge HP Pipe Plug

6	15889	7.5	\$88.80N
8	15890	12.4	217.40N
10	16017	17.7	306.90N
12	16041	25.9	447.10N



#### Part No. HP SV 169 Edge HP P Trap

6	15891	42.0	\$572.80N
8	15892	86.2	1,727.80N



#### Part No. HP SV 170 Edge HP Running Trap

6	15894	45.1	\$1,613.40N



#### Part No. SV 174 Edge HP Running Trap with Single Hub Vent

			Vent Size	
\$1,682.90N	45.9	15897	4	6
7,784.60N	104.3	15898	4	8
6 012 40 N	99 7	15899	6	8



#### Part No. HP SV 175 Edge HP Running Trap with Double Hub Vent

			vent Size	
\$1,687.80N	57.3	15902	4	6
2,062.40N	61.5	15903	6	6
7,526.00N	104.3	15904	4	8
7,730.00 <mark>N</mark>	107.4	15905	6	8
8,704.60N	187.0	16018	8	10
12,254.40N	287.6	16042	10	12
26,682.50N	460.0	16060	12	15



#### Part No. HP SV 180 Deep Seal P Trap

6	15909	40.5	\$715.10



#### Part No. HP SV 228 S Edge HP Iron Body Cleanout Ferrule with Southern Raised-Head Brass Plug Installed

			іар	
\$276.00	6.5	15575	5	6
553.60N	13.9	15937	6	8
689.50N	18.5	16015	6	10
827.20N	27.7	16039	6	12



#### Part No. HP SV 253 Edge HP Sission Insertable Joint

\$410.20N	20.4	15941	6
812.60N	37.0	15942	8

## **A** WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

N = Non-stock item; Contact customer service for availability.



Note: Dimensions and tolerances for Service pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

# CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

#### **EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS**

COMPRESSION GASKETS
ASTM C 564

CISPI HSN 85

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74

Meets the performance requirements of EN 877

Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

### CHARLOTTE® SPEED PAK

#### TEN FOOT PIPE BUNDLES

SERVICE						
	SIZE	PIECES	WEIGHT	HEIGHT		
<b>6</b> * 1	6x10′	18	2211	23"		
Single	8x10′	8	1444	22"		
Hub	10x10′	6	1558	27"		
	12x10′	6	2075	30"		
	15x10′	2	1050	23"		

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

#### TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at <a href="https://charlottepipe.com/terms\_and\_conditions.aspx">https://charlottepipe.com/terms\_and\_conditions.aspx</a>

#### LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

**Purchaser must obtain a return materials authorization** and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.