



List Price Schedule HP-SV-LD-422 Effective April 1, 2022 (Updated May 1, 2023) Supersedes Price Schedule HP-SV-LD-122

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020-2023 Charlotte Pipe and Foundry Company

>> Edge HP Iron™ Service Large Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.



Size 611942- Weight Each Size 611942- Weight Each	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
---	------	------------------	--------	--------------------	------	------------------	--------	--------------------

Part No. HP SV 3 Edge HP Pipe, 10^\prime Lengths, Single Hub

S UPC® The Quiet Pipe ®	USA CHARLOTTE	PIPE® EDGE H	P IRON USA
6"x10"	16085	122.8	\$700.50
8"x10'	16086	190.0	1,090.60
10"x10'	16087	276.1	1,815.10
12"x10'	16088	345.9	2,636.70
15"x10'	16089	525.1	3,853.80



6" x 30"

10

12

15*

Part No. HP SV 4 Edge HP Pipe, 30" Lengths, Double Hub

\$609.00N

867.60N

1.175.50N

38.2

57.3

90.9

143 143	Part No. H Edge HP (IP SV 5 Quarter Bend	
6	15500	21.7	\$197.10
8	15746	39 9	593,60N

16582

16011

16035


	Part No. H Edge HP S	IP SV 7 Sixth Bend	
6	15750	16.4	\$246.40N
8	15761	32.5	537.20N

Note: Shading indicates new items.

$\label{eq:Newtons} \textbf{N} = \textbf{Non-stock item; Contact customer service for availability}.$

* Please see Edge HP Iron Extra Heavy price sheet. See page 5 for pipe bundle quantities.

You can't beat the system.®



Part No. HP SV 9	
Edge HP Sixteenth Bend	
 	-

\$130.80	13.8	15508	6
458.70N	26.0	15763	8
704.80N	37.1	16010	10
1,656.80N	63.3	16034	12
			15*



Part No. HP SV 26 Edge HP Long Eighth Bend

6x18	15782	29.3	\$490.60N

) veep Bend

\$293.90	26.6	15515	6
637.60N	39.5	15783	8
1,309.30N	75.3	16020	10
3,046.10N	109.3	16044	12



\$346.20	29.9	15519	6
783.50N	52.9	15784	8
1,324.60N	82.6	16016	10
2,146.60N	103.6	16040	12



Sime.	*UPC#	Mainh	List Price	C:	*UPC#	List Price
Size	611942-	Weight	Each	Size	611942- W	eight Each



Part No. HP SV 33 Edge HP Combination Wye and Eighth Bend

(Long Turn Pattern)

\$307.40N	19.6	15787	6x2
327.20N	24.7	15788	6x3
343.50	31.7	15527	6x4
476.50	44.2	15528	6
648.20N	34.0	15789	8x2
571.10N	43.2	15790	8x4
783.90N	55.7	15791	8x6
1,175.50N	85.6	15792	8



Part No. SV 35 F Edge HP Double Combination Wye and Eighth Bend (Long Turn Pattern)

6x4	15800	45.0	\$922.50N
6	15801	69.6	1,409.60N



Part No. HP SV 42 Edge HP Straight Tee

6x4	15809	21.5	\$363.80N
6	15810	22.7	436.80N
8x4	15811	33.2	801.10N



Part No. HP SV 43 Edge HP Sanitary Tee

\$264.90N	15.7	15813	6x2
274.10N	21.1	15814	6x3
382.70	22.8	15537	6x4
338.10N	29.8	15815	6
572.80N	35.7	15816	8x4
755.90N	43.0	15817	8x6
895.60N	54.0	15818	8
1,177.40N	52.0	16024	10x4
1,293.20N	61.6	16028	10x6
1,533.40N	68.0	16032	10x8
1,643.20N	75.9	16019	10
1,999.10N	79.0	16054	12x6
2,341.60N	94.6	16058	12x8
2,557.10N	107.0	16048	12x10
2,904.20N	124.6	16043	12
5,039.40N	135.6	16068	15x6
4,883.80N	158.9	16071	15x8
5,399.60N	189.6	16064	15x12

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 44 Edge HP Wye

15544	19.7	\$262.60N
15545	23.7	268.00N
15546	26.7	265.50
15547	36.5	393.80
15819	32.7	590.70N
15820	36.6	587.20N
15821	38.3	506.80N
15822	49.6	629.20N
15823	58.4	962.60N
16022	54.0	882.20N
16025	55.4	867.60N
16029	67.6	946.00N
16033	86.9	1,298.60N
16021	111.1	1,555.50N
16051	75.3	1,466.60N
16055	94.2	1,511.30N
16059	110.0	1,885.80N
16049	131.0	3,461.30N
16046	162.0	3,928.60N
16066	138.5	4,902.00N
16069	153.6	5,122.40N
16072	187.1	5,217.40N
16062	225.0	5,410.90N
16065	244.4	5,514.90N
	15545 15546 15547 15819 15820 15821 15822 15823 16022 16025 16029 16033 16021 16051 16055 16059 16049 16046 16066 16069 16072 16062	15545 23.7 15546 26.7 15547 36.5 15819 32.7 15820 36.6 15821 38.3 15822 49.6 15823 58.4 16022 54.0 16025 55.4 16029 67.6 16033 86.9 16021 111.1 16051 75.3 16055 94.2 16059 110.0 16049 131.0 16046 162.0 16066 138.5 16069 153.6 16072 187.1 16062 225.0



Part No. HP SV 72 Edge HP Double Two-Way Cleanout

6x4x4	15832	39.1	\$667.80N

* Please see Edge HP Extra Heavy price sheet.



	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each



Part No. HP SV 79 Edge HP Washington Test Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$828.10N	26.9	15835	6	6	
1,361.50N	44.5	15836	8	8	



Part No. HP SV 80 Edge HP Cleanout Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP	
\$1,033.20N	25.3	15839	4	6
3,020.90N	94.5	16045	8	12

Cleanout Tees can be ordered <u>only</u> with Southern Code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



Part No. HP SV 81 S Edge HP Miami Test Tee with Southern Raised-Head Brass Plug Installed

IPS Tap

6 6 15843 25.0 \$1,021.40N



Part No. HP SV 109 Edge HP Sanitary Cross

\$506.90N	29.0	15852	6x4
620.60N	32.8	15853	6
1,750.10N	57.7	15854	8

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 110 Edge HP Double Wye

6x3	15861	24.6	\$548.40N
6x4	15862	31.8	525.30N
6	15863	47.8	716.50N
8x4	15864	47.6	1,196.80N
8x6	15865	57.3	1,229.80N
8	15866	92.4	1,727.60N
10x6	16026	73.7	2,623.80N
10x8	16030	99.0	4,017.10N
10	16014	159.6	4,163.40N
12x6	16052	103.2	4,867.40N
12x8	16056	126.5	4,774.80N
12	16038	216.1	4,765.50N



Part No. HP SV 143 Edge HP Reducer

\$144.50	8.2	15875	6x2
141.30	9.9	15876	6x3
139.20	10.4	15553	6x4
270.40	14.3	15877	8x3
232.40	16.6	15878	8x4
238.20	16.9	15879	8x6
349.50	20.0	16023	10x4
391.40	22.2	16027	10x6
391.90	26.6	16031	10x8
569.60	32.3	16050	12x4
610.50	34.4	16053	12x6
627.50	37.3	16057	12x8
637.60	38.4	16047	12x10
1,190.80	52.3	16067	15x6
1,294.20	50.1	16070	15x8
1,341.50	55.7	16061	15x10
1,357.30	68.7	16063	15x12



Part No. HP SV 144 Edge HP Increaser

6x8	15884	24.0	\$453.10N
8x10	16073	40.3	832.50N



Part No. HP SV 153 Edge HP Double Hub Fitting

\$185.80N	13.3	15887	6
489.20N	24.5	15888	8
1,028.70N	36.3	16013	10
1.490.50N	46.3	16037	12



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
Ш	JIZC	011/72-	Weight	Lacii	3120	011772-	Weight	Lacii

Carris B	Part No. H Edge HP F		
6	15889	7.5	\$88.80N
8	15890	12.4	217.40N
10	16017	17.7	306.90N
12	16041	25.9	447.10 <mark>N</mark>

10	Part No. H Edge HP F		
6	15891	42.0	\$572.80N
8	15892	86.2	1,727.80 <mark>N</mark>


	Part No. H Edge HP F	IP SV 170 Running Trap	
6	15894	45.1	\$1,613.40N

J	Vent Size	Part No. S Edge HP I Vent		vith Single Hub
6	4	15897	45.9	\$1,682.90N
8	4	15898	104.3	7,784.60N
8	6	15899	99.7	6,012.40N

TU		Edge HP Running Trap with Double Hub Vent				
	Vent Size					
6	4	15902	57.3	\$1,687.80N		
6	6	15903	61.5	2,062.40N		
8	4	15904	104.3	7,526.00N		
8	6	15905	107.4	7,730.00N		
10	8	16018	187.0	8,704.60N		
12	10	16042	287.6	12,254.40N		
15	12	16060	460.0	26,682.50N		

Part No. HP SV 175

O TOTAL STATE OF THE PARTY OF T	Part No. H Deep Sea		
6	15909	40.5	\$715.10



	Part No. H Edge HP S	IP SV 253 iission Inserta	able Joint
6	15941	20.4	\$410.20N
8	15942	37.0	812.60N

A WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

N = Non-stock item; Contact customer service for availability.



Note: Dimensions and tolerances for Service pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS

COMPRESSION GASKETS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74

ASTM C 564 CISPI HSN 85

Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

CHARLOTTE® SPEED PAK

TEN FOOT PIPE BUNDLES

SERVICE							
	SIZE	PIECES	WEIGHT	HEIGHT			
Single Hub	6x10′	18	2211	23"			
	8x10′	8	1444	22"			
	10x10'	6	1558	27"			
	12x10′	6	2075	30"			
	15x10′	2	1050	23"			

30" SINGLE HUB PIPE BUNDLES

SERVICE							
SIZE PIECES WEIGHT HEIGHT							
30″	8x30"	11	645	24"			
Single	10x30"	8	733	24"			
Hub	12x30"	6	643	28"			
	15x30"	2	333	34"			

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.