



List Price Schedule HP-SV-SD-122 Effective January 1, 2022 (Updated May 1, 2023) Supersedes Price Schedule HP-SV-SD-921

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020-2023 Charlotte Pipe and Foundry Company

>> Edge HP Iron[™] Service Small Diameter Cast Iron Soil Pipe and Fittings



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No. H		ha Cinala Uluk		Part No. H	IP SV Q	
🚓 UPC® The Qui	Edge HP H		hs, Single Hub			Sixteenth Ben	ł
."x10'	16082	40.1	\$202.50	2	15762	3.4	\$37.00
"x10'	16083	59.5	266.40	3	15506	6.0	56.60
"x10'	16084	75.1	346.30	4	15507	8.8	65.70
	Part No. H Edge HP F Double Hu	Pipe, 30'' Leng	ths,		Part No. H Edge HP (Low Heel	Juarter Bend v	vith
"x30"	15495	13.8	\$157.60N	3x2	15764	9.8	\$157.80
"x30"	16115	18.8	197.50 <mark>N</mark>	4x2	15765	13.0	168.30
"x30"	15496	27.1	223.90N				
	Part No. H Edge HP (IP SV 5 Juarter Bend		Illustra Shov Right H Inle	and Edge HP Quarter Bend with S		vith Side Inle
2	15497	5.1	\$46.10	4 w/2 RH	15766	16.5	\$157.20
3	15498 15499	7.7 13.1	61.40 96.50	4 w/2 LH	15767	16.5	157.20
	Part No. H Edge HP S	IP SV 7 Sixth Bend			Part No. H Edge HP I	IP SV 15 Double Quarte	r Bend
	_			4	15768	16.1	\$280.70
2	15747	4.3	\$58.20 N				
3 4	<u> </u>	6.9 10.8	76.80 N 92.00 N	947 1947	Part No. H	ID CV 10	
4	13747	10.0	72.00 N	and the second second		Reducing Quar	ter Bend
	Part No. H	1P SV 8		3x2	15769	6.3	\$81.80
		Eighth Bend		4x2	15509	11.7	102.10
				4x3	15770	9.1	127.20
2	15501	4.2	\$32.70				
3	15502	6.5	51.40				
4	15503	10.7	75.10	U	Part No. H Edge HP S	IP SV 23 Single Hub Ret	urn Bend
Non-stock ite	em; Contact custom	ner service fo	r availability.	3	15771	10.0	\$197.70
Non-Stock Ite							

LP-HP-SV-SD-122


PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235
 SALES PHONE
 (704) 348 6450
 (800) 572 4199

 TECHNICAL PHONE
 (800) 438 6091
 FAX
 (800) 553 1605
 WWW.CHARLOTTEPIPE.COM



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No. H	1P SV 25	1	-	Part No. H	IP SV 33	
		Long Quarter E	Bend	e e		Combination W	/ye and
				8	Eighth Be		5
2x12	15773	6.9	\$131.60 N		(Long Turn I	Pattern)	
3x12	15774	10.3	148.50 N		15501		<u> </u>
4x12	15775	15.4	136.80 N	2 3x2	15521 15522	8.6	<u>\$80.40</u> 92.50
4x16	15776	20.4	256.70 N	3	15522	11.1	122.20
4x18	15510	21.4	192.90	 4x2	15524	15.5	124.80
4x24	15777	27.9	273.30 N	4x3	15525	19.2	146.70
	10////	27.7		4	15526	25.7	168.70
900 - EVRA	Part No. H Edge HP I	IP SV 26 Long Eighth Be			Part No. H Edge HP I Eighth Be	Double Combin	nation Wye and
2x12	15778	6.2	\$139.20 <mark>N</mark>		(Charlotte F	attern)	
3x12	15779	10.6	156.50 <mark>N</mark>				
3x18	15780	12.4	165.70 <mark>N</mark>	4	15793	26.6	\$429.10
4x12	15781	15.6	151.50 <mark>N</mark>				
4x18	15511 Part No. H	20.6 IP SV 29 Short Sweep B	195.80		Part No. HP SV 35 F Edge HP Double Combination Wye Eighth Bend (Long Turn Pattern)		
	Lugern	Supression Comeep D	cilu	2	15794	12.0	\$165.00
2	15512	6.2	\$45.20	3x2	15795	14.6	183.10
3	15513	9.4	80.40	3	15796	22.0	211.70
4	15514	16.6	123.30	4x2	15797	19.7	214.10
				4x3	15798	26.5	243.30
				4	15799	36.2	347.10
2 3	Part No. H Edge HP I 15516 15517	7.6 12.2	end \$69.90 99.70	0	Part No. H Edge HP I	Part No. HP SV 35 F Edge HP Double Combination Wy Eighth Bend with 2'' Cup Hub In	
4	15518	21.2	146.50		15000	20.0	¢540.70
				4	15802	39.8	\$569.70
	Part No. H	IP SV 31 Reducing Long	Sweep Bend	Illustratio Shows Rig	on Edge HP (Part No. HP SV 39 A Edge HP Combination Wye and Eiş Bend with Side Inlet	
242	-	11.0	· ·	Hand Inl			
3x2	15785	11.2	\$132.00 N	Hand Inl On Mair			
3x2 4x3	-	11.2 17.6	· ·	Hand Inl On Mair	Cup Hub In	let)	¢217 50 •
	15785 15786	17.6	\$132.00 N	Hand Inl On Mair 4 w/2RH	1 (Cup Hub In 15803	let) 28.3	
4x3	15785 15786 Part No. H Edge HP (Eighth Be (Charlotte F	17.6 IP SV 32 Combination W end Pattern)	\$132.00 N 212.50 N /ye and	Hand Inl On Mair	1 (Cup Hub In 15803 15804 Part No. F Edge HP (28.3 28.3 IP SV 41	317.50 N
	15785 15786 Part No. H Edge HP (Eighth Be	17.6 IP SV 32 Combination W	\$132.00 N 212.50 N	Hand Inl On Mair 4 w/2RH	1 (Cup Hub In 15803 15804 Part No. F Edge HP (28.3 28.3 IP SV 41 Combination W	\$317.50 N 317.50 N /ye and Eighth Main

N = Non-stock item; Contact customer service for availability.



			IPS TAP		
\$142.30 <mark>N</mark>	6.5	15834	2	2	
332.60	13.6	15548	4	3	
343.60	16.8	15549	4	4	

N = Non-stock item; Contact customer service for availability.

CHARLOT

LIST PRICE SCHEDULE HP-SV-SD-122 (Updated May 1, 2023)



Size		*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
						Dort No. 1		
		Part No. H				Part No. H Edge HP S	iP SV 114 Sanitary Cross	with 2 ¹¹ Side
3 3 78			Cleanout Tee w ead Brass Plu			Inlet	annung cross	
	IPS TAP			5 moranou		(Cup Hub In	let)	
3	2	15837	8.8	\$154.90 <mark>N</mark>		150/7	27.4	¢220.00
4	3	15838	14.5	292.70 N	4x4	15867	27.4	\$330.20
		be ordered <u>only</u> d. <u>We do not of</u>			0.	Part No. H Edge HP [(Cup Hub In	ouble Wye wit	th 2″ Side Inle
		type brass plug		<u>9 .000 pragy</u>	4x4	15868	31.8	\$464.90
B				with Southern g Installed	A	Part No. H Edge HP V	IP SV 134 /ent Branch	
				, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4	15869	19.6	\$250.40
2	IPS Tap 2	15840	7.3	\$174.30 N				
3	3	15840	9.6	318.60 N		Part No. H		
4	4	15842	16.4	389.10 N		Edge HP H	Branch	
					4x3	15870	17.0	\$233.70
01/					4	15871	19.6	254.00
		Part No. H Edge HP S	IP SV 108 Straight Cross			15071	17.0	
4x2		15844	15.6	\$191.40 N		Part No. H		
4		15845	18.1	239.30 <mark>N</mark>		Edge HP 4	15° Offset	
-					4x4	15872	11.6	\$161.20
		Part No. H			4x6	15873	13.8	176.40
V		Edge HP S	anitary Cross		4x8	15874	15.6	197.50
2		15846	10.8	\$140.00 N				
3x2		15847	13.7	169.90 <mark>N</mark>		Part No. H		
3		15848	15.6	169.40 <mark>N</mark>		Edge HP F	CUUCEI	
4x2		15849	14.6	165.70 N	3x2	15550	4.6	\$45.20
4x3		15850	20.0	215.50 N	4x2	15551	6.0	51.50
4		15851	22.9	212.50 N	4x3	15552	7.0	58.50
		Part No. H Edge HP [IP SV 110 Jouble Wye		0) 1) 0)	Part No. HP SV 144 Edge HP Increaser		
2		15855	9.7	\$143.00 N	2x4	15880	9.4	\$108.00
3x2		15856	14.0	152.00 N	3x4	15881	8.8	118.50
3		15857	19.1	178.10 <mark>N</mark>	4x6	15882	15.2	160.80
4x2		15858	16.2	182.90 <mark>N</mark>	4x8	15883	26.0	332.70
4x3		15859	21.0	192.90 <mark>N</mark>				
4		15860	27.2	233.10 N	ery First Tore 1	Part No. H Edge HP [IP SV 153)ouble Hub Fit	ting
					2	15885	4.7	\$51.50
					3	15886	7.0	70.60
						15550	0.1	70.00

4

15554

9.1

80.40 <mark>N</mark>

N = Non-stock item; Contact customer service for availability.

LIST PRICE SCHEDULE HP-SV-SD-122 (Updated May 1, 2023)

CHARLOTTE PIPE AND FOUNDRY COMPANY

Size		*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
Sant S				1				
165		Part No. H			Illustra			
		Edge HP F	ipe Plug		Shows Har		P SV 188 A	
2		15555	1.4	\$23.20 N	Clear		Left Hand Cle	eanout
3		15556	2.5	33.00 N	IPS TAP			
4		15557	4.1	40.30 N	4 3	15912	19.4	\$355.50 <mark>N</mark>
	TOP	Part No. H	D SV 1C0			Part No. H		
UU!		Edge HP F			non tran	Edge HP C	loset Bend, Pl	ain - Less Coll
1 and 1		6	P		3x4x6x12	15562	10.7	\$150.40
2		15558	7.1	\$73.50	3x4x6x16	15913	12.0	179.90N
3		15559	13.1	109.50	3x4x8x18	15914	14.0	279.30N
4		15560	23.2	157.80	3x4x10x16	15915	16.1	253.60N
	1.1				3x4x12x12	15916	15.9	193.40 <mark>N</mark>
		Part No. H	P SV 170		3x4x16x16	15563	20.6	283.40
U			Running Trap	.	3x4x18x18	15564	22.7	355.40
A and the		0	0 1		3x16x16	15565	16.7	263.30
4		15893	19.3	\$309.40N	4x4x12	15917	11.5	132.50N
					4x4x16 4x4x18	15566 15567	14.3 17.3	<u>191.60</u> 220.90
T		D (N)	0.01474		4x4x18 4x6x12	15567	17.5	153.30
TE		Part No. H			4x6x12	15569	16.9	220.90
			Running Trap v	vitn .	4x6x18	15919	14.0	249.80N
	Vant Cina	Single Hu	D vent	·	4x8x16	15920	18.4	193.40
3	Vent Size 3	15895	17.7	\$245.10N	4x8x18	15921	19.8	273.30N
4	4	15896	28.4	333.50N	4x10x12	15922	14.5	179.90N
1	1	13070	20.1		4x10x16	15923	19.6	246.30N
					4x12x12	15924	14.0	195.70 <mark>N</mark>
		Part No. H			4x12x16	15925	20.8	223.00N
	Tak.		Running Trap v	vith	4x12x18	15926	19.0	268.40N
CO.		Double Hu	ib Vent		4x14x16	15927	22.6	251.60N
2	Vent Size	15000	10.7		4x14x18	15928	24.0	277.20N
3 4	3 4	15900	19.7	\$286.50N 401.30N	4x16x16 4x16x18	15570 15571	23.8	<u>291.00</u> 297.00
4	4	15901	36.3	401.501	4x18x18	15572	27.4	460.80
J	No DEBAAL	Part No. H Edge HP D	IP SV 180 Jeep Seal P Tra	ab .				
2		15906	8.1	\$130.30N	How To Rear	Reducing Clos	set Bends:	
3		15907	14.3	160.80N		e numbers then th		umbers
4		15908	29.0	254.80N	Example: 3x4		e two marac m	
	-					Long. The 4" is 6	" Long.	
A STATE OF T	IPS TAP			ning Trap with e Branch			P SPL 220 lotched and SI nge	otted
4	3 ¹ / ₂	15910	32.3	\$708.20		(Fits over 4′	' pipe for caulked	joints.)
4x3	31/2	15561	34.3	561.80 <mark>N</mark>		15929	<u> </u>	\$36.00
					4x1 4x2	15929	2.2 3.0	\$36.00 43.10
	Illustra Shows I	ation Right Part No. H	P SV 188		4x2 4x2 ¹ ⁄ ₂	15578	3.6	45.10
RUME		eanout Edge HP F		ht Hand	4x3	15579	4.5	58.30
		Cleanout			4x4	15580	4.7	76.80
$\overline{}$	IPS TAP				4x6	15930	5.3	134.90
	3	15911	20.5	\$355.50N				

N = Non-stock item; Contact customer service for availability.



15938

9.9

4x12

3½

Size		*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
977 - 77	a sives 2		IP SV 206 apped Closet I Code Brass Pl			Part No. H Edge HP S	IP SV 253 Sission Inserta	ble Joint
3½x4x4x18		15931	17.7	\$261.10 <mark>N</mark>	2	15939	7.0	\$131.60 <mark>N</mark>
					3	15940	11.6	206.60 <mark>N</mark>
		Part No. H			4	15576	12.9	227.60 <mark>N</mark>
4x12 4x14		15932 15933	14.2 15.4	\$195.80 <mark>N</mark> 202.50N				
4x16		15934	17.5	306.10N				
4x18		15935	18.9	307.00N			NING	
STANICE .	Part No. HP SV 228 S Edge HP Iron Body Cleanout Ferrule - with Southern Raised-Head Brass Plug							cause t/store
	Тар	Installed		8		or fittings.	ast Iron pipe or 1	
2	11/2	15936	1.4	\$57.50 <mark>N</mark>	SALE OF	with compress		
3	21/2	15573	2.4	86.20			t Iron pipe and f te and vent or sa	
4	3	15574	4.1	100.40		sewer applicat		anneary
4,12	21/	16020	0.0	2/10 70N				

CHARLOTTE® SPEED=PAK

340.70N

TEN FOOT PIPE BUNDLES

SERVICE									
C := -1-	SIZE	PIECES	WEIGHT	HEIGHT					
Single	2x10′	54	2165	12″					
Hub	3x10′	36	2141	15″					
	4x10'	27	2028	18″					

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



Note: Dimensions and tolerances for Extra Heavy pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74 Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

COMPRESSION GASKETS

ASTM C 564 CISPI HSN 85

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry <u>cannot</u> accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Charlotte Pipe and Charlotte are registered trademarks of Charlotte Pipe and Foundry Company.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company[®] (Charlotte Pipe[®]) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF[®] International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte[®] PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.