




List Price Schedule XH-122 Effective January 1, 2022 (Updated October 1, 2022) Supersedes Price Schedule XH-921

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

©1901-2022 Charlotte Pipe and Foundry Company

>> Extra Heavy Cast Iron Soil Pipe and Fittings







AST	M A	74	

	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each

Part No. XH 1 Pipe, 5' Lengths, Single Hub

2"x5'	02030	25.0	\$289.80
3"x5'	02031	46.8	380.10
4"x5'	02032	59.6	424.10
5"x5'	02033	73.7	747.40
6"x5'	02034	81.4	700.00
8"x5'	02035	141.1	1,045.00
10"x5'	02036	206.6	1,976.20
12"x5'	02037	245.2	2,629.00
15"x5'	02038	350.0	3,917.20

Part No. XH 3 Pipe, 10' Lengths, Single Hub

THUPCO The Collet Pite (SUSP	CHARLOTTE PIPERUS	D SU 600 ASTM A 74 86 29 86 12	हों <u> </u>
2"x10'	02048	45.3	\$350.20
3"x10'	02049	83.9	473.00
4"x10'	02050	110.2	619.60
5"x10'	02051	134.3	821.10
6"x10'	02052	156.6	924.20
8"x10'	02053	246.1	1,613.60
10"x10'	02054	375.4	2,626.00
12"x10'	02055	471.1	3,717.10
15"x10'	02056	676.4	5,747.00

Part No. XH 4
Pipe, 30" Lengths, Double Hub

2"x30"	02057	16.9	\$330.80
3"x30"	02058	24.5	333.90
4"x30"	02059	33.0	374.40

See page 6 for pipe bundle quantities.

You can't beat the system.®

	Part No.) Quarter E		
2	02060	6.3	\$57.00
3	02061	11.1	112.70
4	02062	15.5	164.60
5	02063	19.7	260.20
6	02064	25.8	273.80
8	02065	47.0	715.10
10	02066	74.9	1,052.30
12	02067	114.9	1,872.90
15	02068	173 9	3,938,30

	Part No. XI Sixth Bend		
2	02074	5.1	\$89.80
3	02075	9.1	136.80
4	02076	12.3	167.00
6	02078	21.0	299.00

	Part No.) Eighth Be		
2	02082	4.7	\$56.70
3	02083	8.8	90.20
4	02084	12.4	136.50
5	02085	16.9	193.70
6	02086	18.9	205.30
8	02087	36.2	513.50
10	02088	59.7	778.90
12	02089	87.6	1,347.40
15	02090	122.0	2,758.30

Weight

List Price Each

1,389.70



Size	*UPC# 611942-	Weight	List Price Each
J	Part No. Sixteent		
2	02091	4.2	\$61.10
3	02092	7.3	107.00
4	02093	9.5	135.70
5	02094	13.8	179.70
6	02095	16.0	226.00
8	02096	33.5	540.70
10	02097	52.0	845.10
12	02098	71.7	1,976.70
15	02099	108.6	2,817.50
	Part No.: Long Eig	XH 26 hth Bend	
4x18	02131	26.0	\$405.30
	n	WII 20	
	Part No.		
	Snort Sw	eep Bend	
2	02133	7.3	\$76.60
3	02134	13.0	152.80

02133	7.3	\$76.60
02134	13.0	152.80
02135	18.2	205.30
02136	25.0	374.60
02137	28.4	446.70
02138	57.0	792.50
02139	90.0	1,521.20
02140	122.6	3,409.60 N
		3,407.00
	02134 02135 02136 02137 02138 02139 02140	02134 13.0 02135 18.2 02136 25.0 02137 28.4 02138 57.0 02139 90.0

J	Long Swe	eep Bend	
2	02141	9.0	\$95.70
3	02142	16.6	195.10
4	02143	23.6	251.90
5	02144	30.0	426.40
6	02145	38.6	437.70
8	02146	58.6	1,008.00
10	02147	104.2	1,912.30 N
12	02148	136.0	2,467.70 N
15	02149	213.3	5,430.30

Note: N = non-stock item – contact customer service for availability.

	Part No. X Combinat (Long Turn	ion Y and Eighth	Bend
2	02153	9.7	\$147.60
3x2	02159	14.4	190.70
3	02154	18.2	248.80
4x2	02160	17.8	220.20
4x3	02161	24.0	282.80
4	02155	28.1	327.70
5x4	02164	29.3	522.00
5	02156	33.7	580.90
6x2	02165	24.8	415.40
6x3	02166	30.4	455.10
6x4	02167	38.5	480.10
6	02157	56.6	621.00
8x4	02170	56.8	851.40
8x6	02171	74.3	1.119.10



8

Size

Part No. XH 35 F
Double Combination Y and Eighth Bend
(Long Turn Pattern)

113.1

4	02177	41.0	\$671.90
6x4	02182	50.2	911.60

02158

A WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each

	Part No.) Sanitary		
2	02198	8.7	\$103.60
3x2	02199	13.2	200.90
3	02200	16.0	256.00
4x2	02201	17.4	259.30
4x3	02202	18.3	276.40
4	02203	22.5	270.90
5	02206	25.4	536.00
6x3	02208	24.5	427.10
6x4	02209	28.0	440.10
6	02211	35.4	520.20
8x4	02212	51.0	949.00
8x6	02214	54.5	1,404.30
8	02215	67.8	1,466.20
10x6	02217	76.6	1,703.30
10x8	02218	90.6	2,113.50 N
10	02219	106.0	2,165.50
12x8	02221	126.0	2,845.10 N
12	02223	152.7	3,851.50 N
15x8	02225	163.4	4,671.80 N
15	02228	240.6	5,665.00

Ĭ.	1	
	10	
		~

Part No. XH 44 Wye

2	02229	9.0	\$109.50
3x2	02230	14.1	200.90
3	02231	17.2	245.50
4x2	02232	16.8	246.00
4x3	02233	20.6	297.30
4	02234	23.7	344.10
5x3	02236	23.7	439.40
5x4	02237	28.3	469.70
5	02238	31.6	493.80
6x3	02240	26.8	406.20
6x4	02241	31.9	489.00
6x5	02242	33.8	608.70
6	02243	41.2	629.30
8x4	02246	53.4	1,121.30
8x6	02248	61.5	1,215.60
8	02249	86.6	1,557.00
10x4	02251	72.0	1,626.50
10x6	02253	88.6	1,697.00
10x8	02254	101.7	1,988.60
10	02255	137.0	2,098.80
12x6	02258	108.0	2,926.90
12x8	02259	140.0	3,449.60
12x10	02260	159.4	4,619.80
12	02261	198.0	4,715.40
15x4	02262	135.8	6,161.80

Part No. XH 44, continued Wye

15x8	02264	192.2	\$6,289.70 N
15x10	02265	229.0	6,462.40 N
15x12	02266	251.1	6,687.00
15	02267	309.4	7,499.30



Part No. XH 79 Washington Test Tee With Southern Raised Head Brass Plug Installed

			IPS TAP	
\$443.80	15.1	04952	4	3
495.90	18.6	04953	4	4
754.10	27.2	04954	5	5
1,376.20	27.4	04955	6	6
1.635.60	53.1	04956	8	8

Washington test tees can <u>only</u> be ordered with Southern code raised head brass plug installed. <u>We do not offer this fitting less plug, or with any other type plug installed.</u>



Part No. XH 80 Cleanout Tee with Southern Raised Head Brass Plug Installed

			IPS TAP	
\$265.20	10.6	02323	2	3
437.70	15.5	02324	3	4
729.00	23.6	02325	4	5
1,047.30	26.9	02326	4	6



Part No. XH 81 S Miami Test Tee with Southern Raised-Head Brass Plug Installed

	IPS TAP			
4	4	02345	16.9	\$406.60

Cleanout and Miami tees can <u>only</u> be ordered with Southern code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



Part No. XH 84 Sanitary Tapped Tee

4x2	02377	14.3	\$257.90

Note: N = non-stock item – contact customer service for availability.



Size	*UPC# 611942-	Weight	List Price Each	Size		*UPC# 611942-	Weight	List Price Each
w.	Part No.)	(H 85				Part No.)	(H 144	
	Tapped W	ye		V		Increase	r	
4x2	02382	13.8	\$350.20	4x6		02468	15.8	\$318.90
_				6x8		02472	36.6	686.20
	Part No.)					Part No.)	(II.4E0	
	Sanitary	Cross		day turk turk track			ub Fitting	
4	02400	27.0	\$449.50					
				2		02486	5.0	\$87.70
	Part No.)			4		02488	9.4	159.40
A Participant	Double W	ye		5		02489	11.8	215.60 260.70
				<u>6</u> 8		02490 02491	13.4 30.4	635.40
2	02406	13.1	\$251.50	10		02491	43.1	1,269.40 N
4x3	02410	26.9	374.60	12		02493	68.1	1,803.50 N
4	02411	28.2	435.40	15		02494	81.9	2,142.40
6x4	02416	39.8	771.90			02474	01.7	2,142.40
6	02418	48.3	837.60			Part No.)	(H 155	
8	02421	119.0	3,130.40 N			Pipe Plug		
10	02424	182.0	4,240.90 N					
12	02427	278.0	5,835.40 N					
15	02428	384.8	11,395.60 N	2		02498	1.7	\$54.90
			<u> </u>	4		02500	4.7	73.60
	Part No.)	(H 143		6		02502	8.0	189.10
SER CHARLE	Reducer			8		02503	15.0	236.50
132.0				10		02504	25.1	388.20
				12		02505	32.0	564.10
3x2	02436	6.0	\$80.40	15		02506	49.3	965.20
4x2	02437	7.0	94.90					
4x3	02438	8.9	118.70		10	Part No.)	(H 169	
5x3	02440	9.2	160.80			P Trap		
5x4	02441	10.4	153.60		A. C. C.			
6x3	02443	11.3	163.90					****
6x4	02444	12.2	150.60	2		02517	7.9	\$130.40
6x5	02445	13.6	189.10	3		02518	17.2	222.90
8x4	02447	19.1	348.40	4		02519	27.2	327.70
8x5 8x6	02448 02449	19.5	369.40 366.60	<u>6</u> 8		02521 02522	45.2 100.4	840.00 2,352.90
10x4	02449	20.1	448.30			02322	100.4	2,352.70
10x4 10x6	02452	28.4	464.10			Part No.)	/LI 17/I	
10x8	02453	34.3	650.70				Trap with Single H	uh Vent
12x4	02454	36.8	1,111.70		_	Manning	ap omgie ii	10111
12x6	02455	39.7	1,117.50		Vent Size			
12x8	02456	45.2	1,153.80 N	3	3	02529	22.8	\$369.40
12×10	02457	45.4	1,195.10	4	4	02530	37.3	518.50
15x8	02459	59.4	1,642.40 N	5	4	02531	43.7	882.30
15x10	02460	57.0	1,999.40	6	4	02532	59.0	2,371.30
13/10								

Note: N = non-stock item – contact customer service for availability.



*UPC# List Price *UPC# List Pric Size 611942- Weight Each Size 611942- Weight Each



Part No. XH 175 Running Trap with Double Hub Vent

	Vent Size			
3	3	02536	27.5	\$433.50
4	4	02537	40.2	594.60
5	4	02538	52.6	963.80
6	4	02539	65.5	1,788.30
6	6	02540	71.0	2,436.40
8	4	02541	127.0	7,546.60
8	6	02542	125.9	8,203.20
10	8	02543	204.9	9,393.30
12	6	02544	247.6	12,328.60



Part No. XH 180 Deep Seal P Trap

\$187.10	9.8	02546	2
342.90	20.3	02547	3
414.30	30.8	02548	4



Part No. XH 184 Improved Running Trap with Double Cleanout and Tee Branch

4	02553	41.3	\$642.30
4x3	02554	41.8	660.10



Part No. XH 198 P Trap with 1/2" Tap in Heel

2	02561	9.0	\$204.20
3	02564	17.2	342.90
4	02566	27.2	488.10



Part No. XH 230 Iron Body Cleanout Ferrule - Body Only Less Brass Plug

			Тар	
\$71.90	4.3	02597	31/2	4
136.20	8.6	02599	5	6
261.20	20.1	02600	6	8
404.90	21.0	02601	6	10
551.50	30.4	02602	6	12
1,112.30	73.4	02603	6	15



Part No. XH 230 S Iron Body Cleanout Ferrule - with Southern Raised-Head Brass Plug Installed

	Тар			
2	1½	02638	1.7	\$70.90
3	21/2	02639	3.2	107.10
4	31/2	02640	4.9	151.70
5	4	02641	9.8	188.60
6	5	02642	8.6	291.90
8	6	02643	20.1	585.90
10	6	02644	23.2	729.40
12	6	02645	33.1	876.00
15	6	02646	54.9	1,426.60

Iron Body Cleanout with plugs installed can only be ordered as shown in this price sheet. When ordering Iron Body Cleanout with plugs other than Southern Code, please order the fitting less plug, then order the plug from the Plugs price sheet.

Example:	Part No.	<u>Quantity</u>	<u>Description</u>
	XH 230	4	4″ Iron Body Cleanout
	PLG 410	4	3½" Ohio Plug

When Iron Body Cleanouts with plugs other than Southern Code are ordered, the plugs will be packed separately in a burlap bag inside the shipping crate.



Part No. XH 253 Sission Insertable Joint

4	02684	17.1	\$270.90
6	02686	26.2	456.80



Part No. XH 549 Roof Iron

4	02688	8.2	\$185.40
4	02688	8.2	\$185.40



CHARLOTTE® SPEED PAK

FIVE FOOT PIPE BUNDLES

EXTRA HEAVY WEIGHT							
	SIZE	PIECES	WEIGHT	HEIGHT			
	2"	84	2099	18"			
	3"	45	1998	20"			
	4"	33	1968	21"			
Single	5"	23	1695	25"			
Hub	6"	18	1465	23"			
	8"	11	1552	24"			
	10"	8	1574	29"			
	12"	6	1471	29"			
	15"	2	700	20"			

TEN FOOT PIPE BUNDLES

EXTRA HEAVY WEIGHT							
	SIZE	PIECES	WEIGHT	HEIGHT			
	2x10′	48	2173	12"			
	3x10′	30	2517	15"			
	4x10′	24	2517	18"			
Single	5x10′	21	2820	20"			
Hub	6x10′	12	1879	16"			
	8x10′	8	1968	21"			
	10×10′	6	2252	25"			
	12x10′	3	1413	15"			
	15x10′	2	1353	20"			

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

Note: Dimensions and tolerances for Extra Heavy pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EXTRA HEAVY HUB AND SPIGOT PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute.

ASTM A 74

Listed by NSF® International to the UP Code ISO 9001:2015 Certified

COMPRESSION GASKETS

ASTM C 564 CISPI HSN 85

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Charlotte Pipe and Charlotte are registered trademarks of Charlotte Pipe and Foundry Company.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms and conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21



P0 B0X 35430


CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605 WWW.CHARLOTTEPIPE.COM



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

