




List Price Schedule XH-124 Effective January 1, 2024 (Updated June 12, 2024) Supersedes Price Schedule XH-422

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

©1901-2024 Charlotte Pipe and Foundry Company

### >> Extra Heavy Cast Iron Soil Pipe and Fittings





6.2

11.1

15.0

9.1

12.7

21.0



\$36.90

72.90

88.50

108.10 193.50

106.50

*UPC# List Price *UPC# List Price Size 611942- Weight Each Size 611942- Weight Each
---

4

3

4

6

Part No. XH 1 Pipe, 5' Lengths, Single Hub

2"x5'	02030	25.0	\$187.50
3"x5'	02031	46.8	246.00
4"x5'	02032	59.6	274.40
5"x5'	02033	73.7	483.60
6"x5"	02034	81.4	452.90
8"x5'	02035	141.1	676.20
10"x5'	02036	206.6	1,278.70
12"x5'	02037	245.2	1,701.10
15"x5'	02038	350.0	2,534.70

Part No. XH 3 Pipe, 10' Lengths, Single Hub

SUPER The Price Price BUSA	CHARLOTTE PIPEWUSA	3 SV 640 ASTM A 74 05 29 35 1	ट देरे
2"x10'	02048	45.3	\$226.60
3"x10'	02049	83.9	306.10
4"x10'	02050	110.2	400.90
5"x10'	02051	134.3	531.30
6"x10"	02052	156.6	598.00
8"x10'	02053	246.1	1,044.10
10"x10'	02054	375.4	1,699.20
12"x10'	02055	471.1	2,405.20
15"x10'	02056	676.4	3,718.70



2"x30"	02057	16.7	\$214.10
3"x30"	02058	25.3	216.00
4"x30"	02059	33.5	242.30

5	02063	19.7	168.40
6	02064	25.0	177.20
8	02065	46.3	462.70
10	02066	77.2	680.90
12	02067	114.9	1,211.90
15	02068	173.9	2,548.30
3	Part No. ) Sixth Ber		
2	02074	5.1	\$58.10

Part No. XH 5 Quarter Bend

02060

02061

02062

02075

02076

02078

<b>J</b>	Part No. ) Eighth Be		
2	02082	4.7	\$36.70
3	02083	8.7	58.40
4	02084	12.0	88.30
5	02085	16.6	125.30
6	02086	18.2	132.80
8	02087	38.4	332.30
10	02088	61.6	504.00
12	02089	85.5	871.90
15	02090	122.0	1,784.80

See page 6 for pipe bundle quantities.

You can't beat the system.®

Weight

List Price Each



Size	*UPC# 611942-	Weight	List Price Each
J	Part No. ) Sixteenth	•	
2	02091	4.1	\$39.50
3	02092	7.7	69.20
4	02093	9.8	87.80
5	02094	13.1	116.30
6	02095	15.3	146.20
8	02096	33.4	349.90
10	02097	50.7	546.80
12	02098	68.4	1,279.00
15	02099	108.6	1,823.10 N
	Part No.) Long Eigl		
4x18	02131	25.5	\$262.20
J	Part No. ) Short Sw		
2	02133	7.2	\$49.60

J	Part No. X Short Swe		
2	02133	7.2	\$49.60
3	02134	12.7	98.90
4	02135	17.6	132.80
5	02136	25.0	242.40
6	02137	29.2	289.00
8	02138	57.0	512.80
10	02139	90.0	984.30
12	02140	122.6	2,206.20 N

J	Part No. 2 Long Swe	XH 30 eep Bend	
2	02141	8.9	\$61.90
3	02142	17.7	126.20
4	02143	23.4	163.00
5	02144	30.0	275.90
6	02145	38.6	283.20
8	02146	66.4	652.20
10	02147	104.2	1,237.40 N
12	02148	136.0	1,596.80 N
15	02149	213.3	3,513.70

Note: N = non-stock item – contact customer service for availability.

r	Part No. X Combinat (Long Turn	tion Y and Eighth E	Bend
2	02153	9.9	\$95.50
3x2	02159	14.6	123.40
3	02154	18.6	161.00
4x2	02160	17.9	142.50
4x3	02161	23.6	183.00
4	02155	28.0	212.00
5x4	02164	29.8	337.80
5	02156	33.7	375.90
6x2	02165	24.9	268.80
6x3	02166	30.7	294.50
6x4	02167	37.3	310.60
6	02157	55.4	401.80
8x4	02170	55.6	550.90
8x6	02171	73.4	724.10
8	02158	113.1	899.20



Size

# Part No. XH 35 F Double Combination Y and Eighth Bend (Long Turn Pattern)

4	02177	41.0	\$434.80
6x4	02182	49.4	589.90

## **A WARNING**

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
L								

	Part No. 2		
	Sanitary	lee	
2	02198	8.6	\$67.00
3x2	02199	14.1	130.00
3	02200	16.8	165.70
4x2	02201	17.1	167.80
4x3	02202	18.5	178.90
4	02203	22.1	175.30
5	02206	28.0	346.80
6x3	02208	26.1	276.40
6x4	02209	28.8	284.80
6	02211	35.3	336.60
8x4	02212	50.8	614.10
8x6	02214	54.5	908.70
8	02215	72.4	948.70
10x6	02217	75.2	1,102.10
10x8	02218	90.6	1,367.60 N
10	02219	106.0	1,401.20
12x8	02221	126.0	1,841.00 N
12	02223	152.7	2,492.20 N
15x8	02225	163.4	3,022.90 N
15	02228	240.6	3,665.60

	Part No. )	(H 44	
	Wye		
2	02229	8.9	\$70.80
3x2	02230	14.2	130.00
3	02231	16.9	158.80
4x2	02232	16.3	159.20
4x3	02233	20.0	192.40
4	02234	22.7	222.60
5x3	02236	24.0	284.30
5x4	02237	27.2	303.90
5	02238	31.6	319.50
6x3	02240	28.1	262.80
6x4	02241	31.3	316.40
6x5	02242	37.2	393.90
6	02243	43.0	407.20
8x4	02246	52.7	725.60
8x6	02248	63.8	786.60
8	02249	84.5	1,007.50
10x4	02251	71.9	1,052.40
10x6	02253	88.2	1,098.10
10x8	02254	101.7	1,286.70
10	02255	137.0	1,358.10
12x6	02258	108.0	1,893.90
12x8	02259	140.0	2,232.10
12x10	02260	159.4	2,989.30
12	02261	198.0	3,051.10
15x4	02262	135.8	3,987.10

## Part No. XH 44, continued Wye

\$4,069.80 N	192.2	02264	15x8
4,181.50 N	229.0	02265	15x10
4,326.90	251.1	02266	15x12
4,852.50	309.4	02267	15



#### Part No. XH 79 Washington Test Tee With Southern Raised Head Brass Plug Installed

			IPS TAP	
\$287.20	15.3	04952	4	3
320.90	18.7	04953	4	4
488.00	27.2	04954	5	5
890.50	27.4	04955	6	6
1,058.30	54.8	04956	8	8

#### Part No. XH 80

Washington test tees can <u>only</u> be ordered with Southern code raised head brass plug installed. <u>We do not offer this fitting less plug, or with any other type plug installed.</u>



#### Cleanout Tee with Southern Raised Head Brass Plug Installed

			IPS TAP	
\$171.60	10.9	02323	2	3
283.20	17.4	02324	3	4
471.70	23.6	02325	4	5
677.70	26.9	02326	4	6



#### Part No. XH 81 S Miami Test Tee with Southern Raised-Head Brass Plug Installed

	IPS TAP			
4	4	02345	16.7	\$263.10

Cleanout and Miami tees can  $\underline{only}$  be ordered with Southern code brass plug installed. We do not offer this fitting less plug, or with any other type brass plug installed.



#### Part No. XH 84 Sanitary Tapped Tee

4x2	02377	14.3	\$166.90

Note: N = non-stock item – contact customer service for availability.



Size	*UPC# 611942-	Weight	List Price Each	Size		*UPC# 611942-	Weight	List Price Each
w.	Dona No. 1	VII 05	1			David No. N	711.4.4.4	
r	Part No. 1 Tapped W					Part No. ) Increase		
4x2	02382	14.2	\$226.60	4x6		02468	17.0	\$206.40
_				6x8		02472	35.5	444.00
	Part No. 1	XH 109						
	Sanitary			877 A		Part No. X Double H		
4	02400	28.5	\$290.80			22424		4=7.00
_				2 4		02486 02488	5.0 10.2	\$56.80 103.10
	Part No. 2	XH 110		5		02489	11.8	139.50
	Double W			6		02490	13.0	168.70
	204210 11	· J -		8		02491	30.4	411.10
2	02406	13.1	\$162.70	10		02492	43.1	821.40 N
4x3	02410	26.9	242.40	12		02493	66.6	1,167.00
4	02411	29.7	281.70	15		02494	81.9	1,386.30
6x4	02416	39.8	499.50					•
6	02418	48.3	542.00					
8	02421	119.0	2,025.50 N	357 (S)		Part No. X	(H 155	
10	02424	182.0	2,744.10 N	1.31		Pipe Plug		
12	02427	278.0	3,775.90 N					
15	02428	384.8	7,373.60 N	2		02498	1.6	\$35.50
			_	4		02500	4.7	47.60
				6		02502	7.7	122.40
A Comment	Part No. 2	XH 143		8		02503	14.9	153.00
180 B	Reducer			10		02504	25.1	251.20
				12		02505	32.0	365.00
3x2	02436	5.8	\$52.00	15		02506	46.1	624.50
4x2	02437	7.2	61.40					
4x3	02438	8.8	76.80					
5x3	02440	9.2	104.10			Part No. X	(H 169	
5x4	02441	10.4	99.40	(4)	38	P Trap		
6x3	02443	11.7	106.00					
6x4	02444	12.0	97.50	2		02517	7.9	\$84.40
6x5	02445	13.9	122.40	3		02518	17.1	144.20
8x4	02447	19.8	225.40	4		02519	26.5	212.00
8x5	02448	19.5	239.00	6		02521	47.4	543.50
8x6	02449	20.1	237.20	8		02522	102.0	1,522.50
10x4	02450	28.0	290.10	_				
10x6	02452	28.4	300.30			Dout No. V	711 4 7 4	
10x8	02453	33.8	421.00			Part No. )		lub Vont
12x4	02454	36.8	719.30		Vent Size	Kunning	Trap with Single H	IUD VEIIC
12x6	02455	40.2	723.10		Vent Size	02520	22.0	\$239.00
12x8	02456	44.4	746.60 N	<u>3</u>	3 4	02529	22.8	
12x10	02457 02459	45.4 59.4	773.30 1,062.70 N	5	4	02530	37.6 43.7	335.50 570.90
15x8		57.0	1,062.70 N 1,293.70			02531		570.90 1,534.40
15x10	02460			6	4	02532	59.0	

Note: N = non-stock item – contact customer service for availability.



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
--	------	------------------	--------	--------------------	------	------------------	--------	--------------------

-	

## Part No. XH 175 Running Trap with Double Hub Vent

			, ,	
	Vent Size			
3	3	02536	27.5	\$280.50
4	4	02537	38.5	384.70
5	4	02538	50.6	623.60
6	4	02539	65.5	1,157.10
6	6	02540	71.0	1,576.50
8	4	02541	127.0	4,883.10
8	6	02542	125.9	5,307.90
10	8	02543	204.9	6,078.00
12	6	02544	247.6	7,977.30



#### Part No. XH 230 S Iron Body Cleanout Ferrule - with Southern Raised-Head Brass Plug Installed

**Description**4" Iron Body

3½" Ohio Plug

Cleanout

2     1½     02638     1.7     \$45.       3     2½     02639     3.2     69.       4     3½     02640     4.7     98.       5     4     02641     6.5     122.       6     5     02642     8.6     188.			
4     3½     02640     4.7     98.       5     4     02641     6.5     122.	.90	2	2
5 4 02641 6.5 <b>122</b> .	.30	3	3
	.20	4	4
6 5 02642 8.6 <b>188.</b>	.00	5	5
	.90	6	6
8 6 02643 15.5 <b>379</b> .	.10	8	8
10 6 02644 23.2 <b>472.</b>	.00	.0	10
12 6 02645 33.1 <b>566</b> .	.80	.2	12
15 6 02646 54.9 <b>923</b> .	.10	.5	15

Iron Body Cleanout with plugs installed can only be ordered as shown in this price sheet. When ordering Iron Body Cleanout with plugs other than Southern Code, please order the fitting less plug, then order the

Quantity

When Iron Body Cleanouts with plugs other than Southern Code are ordered, the plugs will be packed separately in a burlap bag inside the

plug from the Plugs price sheet.

Part No.

XH 230

PLG 410

Example:

shipping crate.



#### Part No. XH 180 Deep Seal P Trap

2	02546	9.8	\$121.10
3	02547	19.9	221.90
4	02548	31.2	268.10



#### Part No. XH 184 Improved Running Trap with Double Cleanout and Tee Branch

\$415.60	41.1	02553	4
427.10	41.8	02554	4x3



#### Part No. XH 198 P Trap with <sup>1</sup>/2" Tap in Heel

2	02561	9.0	\$132.10
3	02564	17.2	221.90
4	02566	27.2	315.80



#### Part No. XH 253 Sission Insertable Joint

4	02684	17.1	\$175.30
6	02686	26.6	295.60



#### Part No. XH 230 Iron Body Cleanout Ferrule - Body Only Less Brass Plug

			Тар	
\$46.50	4.0	02597	31/2	4
88.10	8.6	02599	5	6
169.00	20.1	02600	6	8
262.00	19.7	02601	6	10
356.80	29.9	02602	6	12
719.70	73.4	02603	6	15



Part No. XH 549 Roof Iron

4	02688	8.2	\$120.00
7	02000	0.2	3120.00



### CHARLOTTE® SPEED PAK

#### **FIVE FOOT PIPE BUNDLES**

EXTRA HEAVY WEIGHT					
	SIZE	PIECES	WEIGHT	HEIGHT	
	2"	84	2099	18"	
	3"	45	1998	20"	
Single Hub	4"	33	1968	21"	
	5"	23	1695	25"	
	6"	18	1465	23"	
	8"	11	1552	24"	
	10"	8	1574	29"	
	12"	6	1471	29"	
	15"	2	700	20"	

#### **TEN FOOT PIPE BUNDLES**

EXTRA HEAVY WEIGHT					
	SIZE	PIECES	WEIGHT	HEIGHT	
	2x10′	48	2173	12"	
	3x10′	30	2517	15"	
Single Hub	4x10′	24	2517	18"	
	5x10′	21	2820	20"	
	6x10′	12	1879	16"	
	8x10′	8	1968	21"	
	10×10′	6	2252	25"	
	12×10′	3	1413	15"	
	15×10′	2	1353	20"	

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

Note: Dimensions and tolerances for Extra Heavy pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

# CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

#### **EXTRA HEAVY HUB AND SPIGOT PIPE AND FITTINGS**

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute.

ASTM A 74

Listed by NSF® International to the UP Code ISO 9001:2015 Certified

#### **COMPRESSION GASKETS**

ASTM C 564 CISPI HSN 85

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Charlotte Pipe and Charlotte are registered trademarks of Charlotte Pipe and Foundry Company.

#### **TERMS AND CONDITIONS OF SALE**

Terms and Conditions of Sale can be found at <a href="https://charlottepipe.com/terms\_and\_conditions.aspx">https://charlottepipe.com/terms\_and\_conditions.aspx</a>

#### LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

**Purchaser must obtain a return materials authorization** and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and ''You can't beat the system'' are registered trademarks of Charlotte Pipe and Foundry Company.



P0 B0X 35430

CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

