

ChemDrain® CPVC

List Price Schedule CD-126
 Effective January 2, 2026
 Supersedes Price Schedule CD-324

Possession of this price list shall not be construed as an offer to sell the products listed.
 ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
 Corzan is a registered trademark of Lubrizol Advanced Materials.
 © 2005-2026 Charlotte Pipe and Foundry Company.



>> ChemDrain® with Corzan® CPVC Schedule 40 Fittings

For Non-Pressure Applications

ASTM D 1784, ASTM F 2618 &
 cNSF CSA B181.3

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
<p>Part No. AW 100C Coupling (H x H)</p>			<p>Part No. AW 103PC Trap Adapter - Male (SPG x SLIP with Plastic Nut)</p>		
1½	10442	\$43.25	1½	11994	\$35.90
2	10443	54.00			
3	10444	69.05			
4	10445	98.15			
6	10446	155.70			
8	11283	419.80†			
<p>Part No. AW 101C Female Adapter (FPT x H)</p>			<p>Part No. AW 103RC Trap Adapter - Male with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (SPG x SLIP with Plastic Nut)</p>		
1½	10447	\$34.00	1½	11002	\$35.90
2	10448	46.35			
3	10449	76.45			
4	10450	146.90			
6	10694	246.00			
<p>Part No. AW 102C Pipe Increaser-Reducer (H x H)</p>			<p>Part No. AW 104RC Trap Adapter - Female with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (H x SLIP with Plastic Nut)</p>		
1½ x 2	10451	\$84.50	1½	10911	\$39.35
1½ x 3	10452	89.25			
2 x 3	10453	98.15			
2 x 4	10454	107.95			
3 x 4	10455	117.75			
3 x 6	10924	165.50			
4 x 6	10925	199.15			

H = Hub
 SPG = Spigot
 MPT = Male Pipe Thread
 FPT = Female Pipe Thread



You can't beat the system.®

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and
 ASTM F 2618.

CPVC piping products are not recommended for use with
 compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 105XC
Fitting Cleanout Adapter with Cleanout Plug
 (Spigot)

1½	10456	\$35.80
2	10433	42.15
3	10434	77.85
4	10435	133.85
6	10436	231.60



Part No. AW 106C
Cleanout Plug
 (MPT)

1½	10695	\$12.35
2	10696	13.55
3	10697	23.65
4	10698	26.55
6	10699	61.85



Part No. AW 107C
Flush Bushing
 (SPG x H)

2 x 1½	10437	\$46.15
3 x 1½	10438	48.70
3 x 2	10439	53.10
4 x 2	10440	117.85
4 x 3	10441	120.55
6 x 3	10926	221.20
6 x 4	10462	210.95
8 x 4	11287	766.65†
8 x 6	11288	799.90†



Part No. AW 109C
Male Adapter
 (H x MPT)

1½	10463	\$33.65
2	10464	40.75
3	10465	66.90
4	10466	139.45



Part No. AW 116C
Cap Socket
 (Socket)

1½	10467	\$33.65
2	10468	40.20
3	10469	69.45
4	10457	141.60



Part No. AW 300C
1/4 Bend
 (H x H)

1½	10459	\$55.25
2	10460	68.70
3	10461	116.65
4	10472	185.70
6	10473	480.55
8	11302	669.70†



Part No. AW 302C
1/4 Bend, Street
 (SPG x H)

1½	10474	\$64.95
2	10475	82.45
3	10476	110.30
4	10477	175.40
6	10702	425.50

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.









CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
 Part No. AW 304C Long Sweep 1/4 Bend (H x H)			 Part No. AW 326C 1/16 Bend, Street (SPG x H)		
1½	10478	\$57.20	1½	10494	\$49.35
2	10479	78.05	2	10495	66.15
3	10480	133.45	3	10496	119.55
4	10481	191.85	4	10497	147.20
 Part No. AW 321C 1/8 Bend (H x H)			 Part No. AW 327C Double 1/4 Bend (H x H x H)		
1½	10482	\$54.30	1½	10498	\$111.60
2	10483	66.25	2	10499	195.15
3	10484	121.50	3	10500	249.45
4	10485	137.75			
6	10486	402.25			
8	11303	580.00†			
 Part No. AW 323C 1/8 Bend, Street (SPG x H)			 Part No. AW 400C Sanitary Tee (All Hub)		
1½	10487	\$41.20	1½	10501	\$68.70
2	10488	46.75	2	10502	82.35
3	10489	103.65	3	10503	164.75
4	10490	106.35	4	10504	246.75
6	10491	382.05	6	10505	822.45
8	11304	440.10†	8	11307	1,146.15†
 Part No. AW 324C 1/16 Bend (H x H)			 Part No. AW 401C Sanitary Tee, Reducing (All Hub)		
1½	10470	\$55.50	2 x 1½ x 1½	10506	\$82.15
2	10471	66.15	2 x 2 x 1½	10507	82.15
3	10492	119.55	2 x 1½ x 2	10508	85.90
4	10493	147.20	3 x 3 x 1½	10509	143.00
			3 x 3 x 2	10510	153.75
			4 x 4 x 2	10511	220.45
			4 x 4 x 3	10512	230.30
			6 x 6 x 4	10513	575.90

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
 Part No. AW 428C Double Sanitary Tee (All Hub)			 Part No. AW 502C Combination Wye and 1/8 Bend, Reducing (One Piece) (All Hub)		
1½	10514	\$103.55	2 x 2 x 1½	10713	\$109.90
2	10515	122.05	3 x 3 x 1½	10714	162.05
3	10516	163.35	3 x 3 x 2	10715	175.60
4	10517	217.95	4 x 4 x 2	10716	243.10
 Part No. AW 429C Double Sanitary Tee, Reducing (All Hub)			4 x 4 x 3	10717	255.05
2 x 2 x 1½ x 1½	10518	\$136.35	 Part No. AW 503C Combination Wye and 1/8 Bend (Two Pieces) (All Hub)		
3 x 3 x 2 x 2	10520	229.45	6	10711	\$747.95
 Part No. AW 444XC Cleanout Tee with Plug (H x H)			8	11309	1,376.15†
1½	10521	\$81.85	 Part No. AW 504C Combination Wye and 1/8 Bend, Reducing (Two Pieces) (All Hub)		
2	10522	90.45	6 x 6 x 3	10718	\$566.15
3	10523	189.55	6 x 6 x 4*	10719	587.95
4	10524	258.15	 Part No. AW 507C Double Combination Wye and 1/8 Bend (Three Pieces) (All Hub)		
6	10706	697.20	2	10721	\$241.30
 Part No. AW 501C Combination Wye and 1/8 Bend (One Piece) (All Hub)			3	10722	414.60
1½	10707	\$91.50	4	10723	785.70
2	10708	122.05			
3	10709	194.85			
4	10710	276.65			

* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 507C
Double Combination Wye and 1/8 Bend,
Reducing
 (Three Pieces)
 (All Hub)

2 x 2 x 1½ x 1½	10724	\$208.50
3 x 3 x 2 x 2	10725	347.65
4 x 4 x 2 x 2	10726	435.25
4 x 4 x 3 x 3	10727	435.25



Part No. AW 600C
Wye
 (All Hub)

1½	10525	\$70.00
2	10526	98.30
3	10527	175.15
4	10528	255.25
6	10529	648.05
8	11311	705.40†



Part No. AW 601C
Reducing Wye
 (All Hub)

2 x 2 x 1½	10531	\$98.30
3 x 3 x 1½	10532	150.75
3 x 3 x 2	10533	163.25
4 x 4 x 2	10535	234.95
4 x 4 x 3	10536	245.05
6 x 6 x 4	10537	420.85
8 x 8 x 4	11312	490.20†
8 x 8 x 6	11313	545.60†



Part No. AW 611C
Double Wye
 (All Hub)

1½	10538	\$131.40
2	10539	138.90
3	10540	251.20
4	10541	573.00
6	10542	996.55



Part No. AW 612C
Double Wye, Reducing
 (All Hub)

2 x 2 x 1½ x 1½	10543	\$208.50
3 x 3 x 2 x 2	10544	256.55
4 x 4 x 3 x 3	10545	507.65



Part No. AW 706XC
P-Trap with Solvent Weld Joint
 (H x H)

1½	10546	\$107.85
2	10547	150.55
3	10548	273.25
4	10552	485.70



Part No. AW 707XC
P-Trap with Solvent Weld Joint &
Cleanout
 (H x H)

1½	10550	\$120.65
----	-------	-----------------



Part No. AW 708PC
P-Trap with Union and Plastic Nut
 (H x H)

1½	10728	\$93.85
2	10729	162.70



Part No. AW 711PC
P-Trap with Union and 1½'' Nut
 (SLIP x H with Plastic Nut)

1½	10837	\$205.25
----	-------	-----------------

Part No. AW 712C has been moved to page six.

Part No. AW 712PC has been moved to page six.

NSF Listed. Meets All Requirements of ASTM D 1784 and
 ASTM F 2618.

† Different discount applies. Please contact sales office.

>> Specialty Items and Drains

Different Discount Applies to these items.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 1C†
ChemDrain Low-VOC Solvent Cement

Quart	10693	\$61.70
-------	-------	---------



Part No. AW 95C†
Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe
300 Series Stainless Steel with Fluoroelastomer Gasket

1½	10583	\$488.90
2	10586	514.75
3	10587	562.70
4	10588	612.45
6	10691	1,108.30
8	11622	1,549.15



Part No. AW 96C†
Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron
300 Series Stainless Steel with Fluoroelastomer Gasket

2	10688	\$514.75
3	10690	562.70
4	10689	612.45



Part No. AW 712C†
Jar Trap
(SPG x H)

1½	10838	\$185.60
----	-------	----------



Part No. AW 712PC†
Jar Trap with Tail Piece Adaptor
(SLIP x HUB)

1½	10839	\$221.50
----	-------	----------



No. AW 1512PC†
CPVC Tail Piece with Nut
(May be cut to length)

1½ x 12	10636	\$120.65
---------	-------	----------

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

! WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.
- NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

CHARLOTTE

PIPE AND FOUNDRY COMPANY®

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by
Charlotte Pipe and Foundry Company
are proudly made in the U.S.A.

