

ChemDrain® CPVC

List Price Schedule CD-321
Effective March 8, 2021
(Updated August 1, 2023)
Supersedes Price Schedule CD-920

Possession of this price list shall not be construed as an offer to sell the products listed.
ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
Corzan is a registered trademark of Lubrizol Advanced Materials.
© 2005-2023 Charlotte Pipe and Foundry Company.



>> ChemDrain® with Corzan® CPVC Schedule 40 Fittings

For Non-Pressure Applications

ASTM D 1784 & ASTM F 2618

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
<p>Part No. AW 100C Coupling (H x H)</p>			<p>Part No. AW 103PC Trap Adapter - Male (SPG x SLIP with Plastic Nut)</p>		
1½	10442	\$38.18	1½	11994	\$31.76
2	10443	47.66	<p>Part No. AW 103RC Trap Adapter - Male with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (SPG x SLIP with Plastic Nut)</p>		
3	10444	60.98	1½	11002	\$31.76
4	10445	86.77	<p>Part No. AW 104RC Trap Adapter - Female with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (H x SLIP with Plastic Nut)</p>		
6	10446	137.52	1½	10911	\$34.81
8	11283	370.88†	<p>H = Hub SPG = Spigot MPT = Male Pipe Thread FPT = Female Pipe Thread</p>		
<p>Part No. AW 101C Female Adapter (FPT x H)</p>					
1½	10447	\$30.03	<p>You can't beat the system.®</p>		
2	10448	40.91	<p>CPVC piping products are not recommended for use with compressed air or gases.</p>		
3	10449	67.51	<p>NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.</p>		
4	10450	129.78	<p>LP-CD-321</p>		
6	10694	217.40	<p>PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235 SALES PHONE (704) 348 6450 (800) 572 4199 TECHNICAL PHONE (800) 438 6091 FAX (800) 553 1605 WWW.CHARLOTTEPIPE.COM</p>		
<p>Part No. AW 102C Pipe Increaser-Reducer (H x H)</p>					
1½ x 2	10451	\$74.71			
1½ x 3	10452	78.87			
2 x 3	10453	86.77			
2 x 4	10454	95.36			
3 x 4	10455	104.04			
3 x 6	10924	146.19			
4 x 6	10925	175.93			

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and
ASTM F 2618.

LP-CD-321

CPVC piping products are not recommended for use with
compressed air or gases.

PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235
SALES PHONE (704) 348 6450 (800) 572 4199
TECHNICAL PHONE (800) 438 6091 FAX (800) 553 1605
WWW.CHARLOTTEPIPE.COM

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 105XC
Fitting Cleanout Adapter with Cleanout Plug
(Spigot)

1½	10456	\$31.62
2	10433	37.27
3	10434	68.78
4	10435	118.31
6	10436	204.66



Part No. AW 106C
Cleanout Plug
(MPT)

1½	10695	\$10.92
2	10696	11.96
3	10697	20.89
4	10698	23.42
6	10699	54.64



Part No. AW 107C
Flush Bushing
(SPG x H)

2 x 1½	10437	\$40.71
3 x 1½	10438	43.02
3 x 2	10439	46.91
4 x 2	10440	104.11
4 x 3	10441	106.53
6 x 3	10926	195.41
6 x 4	10462	186.37
8 x 4	11287	677.36†
8 x 6	11288	706.67†



Part No. AW 109C
Male Adapter
(H x MPT)

1½	10463	\$29.69
2	10464	35.97
3	10465	59.11
4	10466	123.23



Part No. AW 116C
Cap Socket
(Socket)

1½	10467	\$29.69
2	10468	35.53
3	10469	61.40
4	10457	125.16



Part No. AW 300C
1/4 Bend
(H x H)

1½	10459	\$48.87
2	10460	60.71
3	10461	103.10
4	10472	164.03
6	10473	424.51
8	11302	591.69†



Part No. AW 302C
1/4 Bend, Street
(SPG x H)

1½	10474	\$57.38
2	10475	72.84
3	10476	97.51
4	10477	154.91
6	10702	375.88

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 304C
Long Sweep 1/4 Bend
(H x H)

1½	10478	\$50.57
2	10479	68.93
3	10480	117.92
4	10481	169.48



Part No. AW 321C
1/8 Bend
(H x H)

1½	10482	\$48.01
2	10483	58.49
3	10484	107.36
4	10485	121.67
6	10486	355.36
8	11303	512.40†



Part No. AW 323C
1/8 Bend, Street
(SPG x H)

1½	10487	\$36.37
2	10488	41.31
3	10489	91.56
4	10490	93.97
6	10491	337.57
8	11304	388.82†



Part No. AW 324C
1/16 Bend
(H x H)

1½	10470	\$48.99
2	10471	58.41
3	10492	105.60
4	10493	130.08



Part No. AW 326C
1/16 Bend, Street
(SPG x H)

1½	10494	\$43.57
2	10495	58.41
3	10496	105.60
4	10497	130.08



Part No. AW 327C
Double 1/4 Bend
(H x H x H)

1½	10498	\$98.63
2	10499	172.38
3	10500	220.38



Part No. AW 400C
Sanitary Tee
(All Hub)

1½	10501	\$60.71
2	10502	72.73
3	10503	145.54
4	10504	218.00
6	10505	726.66
8	11307	1,012.57†



Part No. AW 401C
Sanitary Tee, Reducing
(All Hub)

2 x 1½ x 1½	10506	\$72.59
2 x 2 x 1½	10507	72.59
2 x 1½ x 2	10508	75.88
3 x 3 x 1½	10509	126.33
3 x 3 x 2	10510	135.81
4 x 4 x 2	10511	194.78
4 x 4 x 3	10512	203.51
6 x 6 x 4	10513	508.84

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 428C
Double Sanitary Tee
(All Hub)

1½	10514	\$91.47
2	10515	107.87
3	10516	144.26
4	10517	192.53



Part No. AW 429C
Double Sanitary Tee, Reducing
(All Hub)

2 x 2 x 1½ x 1½	10518	\$120.49
3 x 3 x 2 x 2	10520	202.74



Part No. AW 444XC
Cleanout Tee with Plug
(H x H)

1½	10521	\$72.30
2	10522	79.87
3	10523	167.47
4	10524	228.08
6	10706	615.96



Part No. AW 501C
Combination Wye and 1/8 Bend
(One Piece)
(All Hub)

1½	10707	\$80.80
2	10708	107.81
3	10709	172.13
4	10710	244.47



Part No. AW 502C
Combination Wye and 1/8 Bend,
Reducing
(One Piece)
(All Hub)

2 x 2 x 1½	10713	\$97.07
3 x 3 x 1½	10714	143.18
3 x 3 x 2	10715	155.09
4 x 4 x 2	10716	214.76
4 x 4 x 3	10717	225.32



Part No. AW 503C
Combination Wye and 1/8 Bend
(Two Pieces)
(All Hub)

6	10711	\$660.78
8	11309	1,215.82†



Part No. AW 504C
Combination Wye and 1/8 Bend,
Reducing
(Two Pieces)
(All Hub)

6 x 6 x 3	10718	\$500.16
6 x 6 x 4*	10719	519.42



Part No. AW 507C
Double Combination Wye and 1/8 Bend
(Three Pieces)
(All Hub)

2	10721	\$213.14
3	10722	366.33
4	10723	694.19

* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 507C
Double Combination Wye and 1/8 Bend,
Reducing
(Three Pieces)
(All Hub)

2 x 2 x 1½ x 1½	10724	\$184.23
3 x 3 x 2 x 2	10725	307.11
4 x 4 x 2 x 2	10726	384.58
4 x 4 x 3 x 3	10727	384.58



Part No. AW 600C
Wye
(All Hub)

1½	10525	\$61.89
2	10526	86.82
3	10527	154.74
4	10528	225.54
6	10529	572.58
8	11311	623.23†



Part No. AW 601C
Reducing Wye
(All Hub)

2 x 2 x 1½	10531	\$86.82
3 x 3 x 1½	10532	133.23
3 x 3 x 2	10533	144.24
4 x 4 x 2	10535	207.60
4 x 4 x 3	10536	216.51
6 x 6 x 4	10537	371.81
8 x 8 x 4	11312	433.13†
8 x 8 x 6	11313	482.04†



Part No. AW 611C
Double Wye
(All Hub)

1½	10538	\$116.13
2	10539	122.77
3	10540	221.93
4	10541	506.27
6	10542	880.42



Part No. AW 612C
Double Wye, Reducing
(All Hub)

2 x 2 x 1½ x 1½	10543	\$184.21
3 x 3 x 2 x 2	10544	226.68
4 x 4 x 3 x 3	10545	448.48



Part No. AW 706XC
P-Trap with Solvent Weld Joint
(H x H)

1½	10546	\$95.30
2	10547	132.99
3	10548	241.40
4	10552	429.08



Part No. AW 707XC
P-Trap with Solvent Weld Joint &
Cleanout
(H x H)

1½	10550	\$106.63
----	-------	-----------------



Part No. AW 708PC
P-Trap with Union and Plastic Nut
(H x H)

1½	10728	\$82.98
2	10729	143.73



Part No. AW 711PC
P-Trap with Union and 1½'' Nut
(SLIP x H with Plastic Nut)

1½	10837	\$181.40
----	-------	-----------------

Part No. AW 712C has been moved to page six.

Part No. AW 712PC has been moved to page six.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

† Different discount applies. Please contact sales office.

>> **Specialty Items and Drains**

Different Discount Applies to these items.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 1C †
ChemDrain Low-VOC Solvent Cement

Quart	10693	\$54.49
-------	-------	---------



Part No. AW 95C †
Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe
300 Series Stainless Steel with Fluoroelastomer Gasket

1½	10583	\$431.99
2	10586	454.73
3	10587	497.14
4	10588	541.12
6	10691	979.16
8	11622	1,368.70



Part No. AW 96C †
Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron
300 Series Stainless Steel with Fluoroelastomer Gasket

2	10688	\$454.73
3	10690	497.14
4	10689	541.12

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.



Part No. AW 712C †
Jar Trap
(SPG x H)

1½	10838	\$163.99
----	-------	----------



Part No. AW 712PC †
Jar Trap with Tail Piece Adaptor
(SLIP x HUB)

1½	10839	\$195.73
----	-------	----------



Part No. AW 1512PC †
CPVC Tail Piece with Nut
(May be cut to length)

1½ x 12	10636	\$106.56
---------	-------	----------

! WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.
- NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

CHARLOTTE

PIPE AND FOUNDRY COMPANY®

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by
Charlotte Pipe and Foundry Company
are proudly made in the U.S.A.

