

ChemDrain® CPVC

List Price Schedule CD-324
Effective March 18, 2024
Supersedes Price Schedule CD-321







Possession of this price list shall not be construed as an offer to sell the products listed.
ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
Corzan is a registered trademark of Lubrizol Advanced Materials.
© 2005-2024 Charlotte Pipe and Foundry Company.



>> ChemDrain® with Corzan® CPVC Schedule 40 Fittings

For Non-Pressure Applications

ASTM D 1784 & ASTM F 2618

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
	Part No. AW 100C Coupling (H x H)			Part No. AW 103PC Trap Adapter - Male (SPG x SLIP with Plastic Nut)	
1½	10442	\$40.20	1½	11994	\$33.40
2	10443	50.20			
3	10444	64.20		Part No. AW 103RC Trap Adapter - Male with 1½" CPVC Nut and Washers to Fit 1½" and 1¼" Traps (SPG x SLIP with Plastic Nut)	
4	10445	91.30	1½	11002	\$33.40
6	10446	144.80			
8	11283	390.40†		Part No. AW 104RC Trap Adapter - Female with 1½" CPVC Nut and Washers to Fit 1½" and 1¼" Traps (H x SLIP with Plastic Nut)	
	Part No. AW 101C Female Adapter (FPT x H)		1½	10911	\$36.60
1½	10447	\$31.60			
2	10448	43.10			
3	10449	71.10			
4	10450	136.60			
6	10694	228.80			
	Part No. AW 102C Pipe Increaser-Reducer (H x H)				
1½ x 2	10451	\$78.60			
1½ x 3	10452	83.00			
2 x 3	10453	91.30			
2 x 4	10454	100.40			
3 x 4	10455	109.50			
3 x 6	10924	153.90			
4 x 6	10925	185.20			

H = Hub
SPG = Spigot
MPT = Male Pipe Thread
FPT = Female Pipe Thread



You can't beat the system.®

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 105XC
Fitting Cleanout Adapter with Cleanout Plug
(Spigot)

1½	10456	\$33.30
2	10433	39.20
3	10434	72.40
4	10435	124.50
6	10436	215.40



Part No. AW 106C
Cleanout Plug
(MPT)

1½	10695	\$11.50
2	10696	12.60
3	10697	22.00
4	10698	24.70
6	10699	57.50



Part No. AW 107C
Flush Bushing
(SPG x H)

2 x 1½	10437	\$42.90
3 x 1½	10438	45.30
3 x 2	10439	49.40
4 x 2	10440	109.60
4 x 3	10441	112.10
6 x 3	10926	205.70
6 x 4	10462	196.20
8 x 4	11287	713.00†
8 x 6	11288	743.90†



Part No. AW 109C
Male Adapter
(H x MPT)

1½	10463	\$31.30
2	10464	37.90
3	10465	62.20
4	10466	129.70



Part No. AW 116C
Cap Socket
(Socket)

1½	10467	\$31.30
2	10468	37.40
3	10469	64.60
4	10457	131.70



Part No. AW 300C
1/4 Bend
(H x H)

1½	10459	\$51.40
2	10460	63.90
3	10461	108.50
4	10472	172.70
6	10473	446.90
8	11302	622.80†



Part No. AW 302C
1/4 Bend, Street
(SPG x H)

1½	10474	\$60.40
2	10475	76.70
3	10476	102.60
4	10477	163.10
6	10702	395.70

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
 <p>Part No. AW 304C Long Sweep 1/4 Bend (H x H)</p>			 <p>Part No. AW 326C 1/16 Bend, Street (SPG x H)</p>		
1½	10478	\$53.20	1½	10494	\$45.90
2	10479	72.60	2	10495	61.50
3	10480	124.10	3	10496	111.20
4	10481	178.40	4	10497	136.90
 <p>Part No. AW 321C 1/8 Bend (H x H)</p>			 <p>Part No. AW 327C Double 1/4 Bend (H x H x H)</p>		
1½	10482	\$50.50	1½	10498	\$103.80
2	10483	61.60	2	10499	181.50
3	10484	113.00	3	10500	232.00
4	10485	128.10			
6	10486	374.10			
8	11303	539.40†			
 <p>Part No. AW 323C 1/8 Bend, Street (SPG x H)</p>			 <p>Part No. AW 400C Sanitary Tee (All Hub)</p>		
1½	10487	\$38.30	1½	10501	\$63.90
2	10488	43.50	2	10502	76.60
3	10489	96.40	3	10503	153.20
4	10490	98.90	4	10504	229.50
6	10491	355.30	6	10505	764.90
8	11304	409.30†	8	11307	1,065.90†
 <p>Part No. AW 324C 1/16 Bend (H x H)</p>			 <p>Part No. AW 401C Sanitary Tee, Reducing (All Hub)</p>		
1½	10470	\$51.60	2 x 1½ x 1½	10506	\$76.40
2	10471	61.50	2 x 2 x 1½	10507	76.40
3	10492	111.20	2 x 1½ x 2	10508	79.90
4	10493	136.90	3 x 3 x 1½	10509	133.00
			3 x 3 x 2	10510	143.00
			4 x 4 x 2	10511	205.00
			4 x 4 x 3	10512	214.20
			6 x 6 x 4	10513	535.60

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 428C
Double Sanitary Tee
(All Hub)

1½	10514	\$96.30
2	10515	113.50
3	10516	151.90
4	10517	202.70



Part No. AW 429C
Double Sanitary Tee, Reducing
(All Hub)

2 x 2 x 1½ x 1½	10518	\$126.80
3 x 3 x 2 x 2	10520	213.40



Part No. AW 444XC
Cleanout Tee with Plug
(H x H)

1½	10521	\$76.10
2	10522	84.10
3	10523	176.30
4	10524	240.10
6	10706	648.40



Part No. AW 501C
Combination Wye and 1/8 Bend
(One Piece)
(All Hub)

1½	10707	\$85.10
2	10708	113.50
3	10709	181.20
4	10710	257.30



Part No. AW 502C
Combination Wye and 1/8 Bend,
Reducing
(One Piece)
(All Hub)

2 x 2 x 1½	10713	\$102.20
3 x 3 x 1½	10714	150.70
3 x 3 x 2	10715	163.30
4 x 4 x 2	10716	226.10
4 x 4 x 3	10717	237.20



Part No. AW 503C
Combination Wye and 1/8 Bend
(Two Pieces)
(All Hub)

6	10711	\$695.60
8	11309	1,279.80†



Part No. AW 504C
Combination Wye and 1/8 Bend,
Reducing
(Two Pieces)
(All Hub)

6 x 6 x 3	10718	\$526.50
6 x 6 x 4*	10719	546.80



Part No. AW 507C
Double Combination Wye and 1/8 Bend
(Three Pieces)
(All Hub)

2	10721	\$224.40
3	10722	385.60
4	10723	730.70

* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 507C
Double Combination Wye and 1/8 Bend, Reducing
(Three Pieces)
(All Hub)

2 x 2 x 1½ x 1½	10724	\$193.90
3 x 3 x 2 x 2	10725	323.30
4 x 4 x 2 x 2	10726	404.80
4 x 4 x 3 x 3	10727	404.80



Part No. AW 600C
Wye
(All Hub)

1½	10525	\$65.10
2	10526	91.40
3	10527	162.90
4	10528	237.40
6	10529	602.70
8	11311	656.00†



Part No. AW 601C
Reducing Wye
(All Hub)

2 x 2 x 1½	10531	\$91.40
3 x 3 x 1½	10532	140.20
3 x 3 x 2	10533	151.80
4 x 4 x 2	10535	218.50
4 x 4 x 3	10536	227.90
6 x 6 x 4	10537	391.40
8 x 8 x 4	11312	455.90†
8 x 8 x 6	11313	507.40†



Part No. AW 611C
Double Wye
(All Hub)

1½	10538	\$122.20
2	10539	129.20
3	10540	233.60
4	10541	532.90
6	10542	926.80



Part No. AW 612C
Double Wye, Reducing
(All Hub)

2 x 2 x 1½ x 1½	10543	\$193.90
3 x 3 x 2 x 2	10544	238.60
4 x 4 x 3 x 3	10545	472.10



Part No. AW 706XC
P-Trap with Solvent Weld Joint
(H x H)

1½	10546	\$100.30
2	10547	140.00
3	10548	254.10
4	10552	451.70



Part No. AW 707XC
P-Trap with Solvent Weld Joint & Cleanout
(H x H)

1½	10550	\$112.20
----	-------	-----------------



Part No. AW 708PC
P-Trap with Union and Plastic Nut
(H x H)

1½	10728	\$87.30
2	10729	151.30



Part No. AW 711PC
P-Trap with Union and 1½'' Nut
(SLIP x H with Plastic Nut)

1½	10837	\$190.90
----	-------	-----------------

Part No. AW 712C has been moved to page six.

Part No. AW 712PC has been moved to page six.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

† Different discount applies. Please contact sales office.

>> **Specialty Items and Drains**

Different Discount Applies to these items.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



Part No. AW 1C †
ChemDrain Low-VOC Solvent Cement

Quart	10693	\$57.40
-------	-------	---------



Part No. AW 95C †
Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe
300 Series Stainless Steel with Fluoroelastomer Gasket

1½	10583	\$454.70
2	10586	478.70
3	10587	523.30
4	10588	569.60
6	10691	1,030.70
8	11622	1,440.70



Part No. AW 96C †
Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron
300 Series Stainless Steel with Fluoroelastomer Gasket

2	10688	\$478.70
3	10690	523.30
4	10689	569.60

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.



Part No. AW 712C †
Jar Trap
(SPG x H)

1½	10838	\$172.60
----	-------	----------



Part No. AW 712PC †
Jar Trap with Tail Piece Adaptor
(SLIP x HUB)

1½	10839	\$206.00
----	-------	----------



No. AW 1512PC †
CPVC Tail Piece with Nut
(May be cut to length)

1½ x 12	10636	\$112.20
---------	-------	----------

! WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.
- NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

CHARLOTTE

PIPE AND FOUNDRY COMPANY®

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by
Charlotte Pipe and Foundry Company
are proudly made in the U.S.A.

