

# ChemDrain® CPVC

List Price Schedule CD-526  
Effective May 14, 2026  
Supersedes Price Schedule CD-324







Possession of this price list shall not be construed as an offer to sell the products listed.  
ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.  
Corzan is a registered trademark of Lubrizol Advanced Materials.  
© 2005-2026 Charlotte Pipe and Foundry Company.



## >> ChemDrain® with Corzan® CPVC Schedule 40 Fittings

For Non-Pressure Applications

ASTM D 1784, ASTM F 2618 &  
cNSF CSA B181.3

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
	<b>Part No. AW 100C Coupling (H x H)</b>			<b>Part No. AW 103PC Trap Adapter - Male (SPG x SLIP with Plastic Nut)</b>	
1½	10442	<b>\$43.45</b>	1½	11994	<b>\$36.10</b>
2	10443	<b>54.25</b>			
3	10444	<b>69.40</b>		<b>Part No. AW 103RC Trap Adapter - Male with 1½" CPVC Nut and Washers to Fit 1½" and 1¼" Traps (SPG x SLIP with Plastic Nut)</b>	
4	10445	<b>98.70</b>	1½	11002	<b>\$36.10</b>
6	10446	<b>156.55</b>			
8	11283	<b>422.05†</b>		<b>Part No. AW 104RC Trap Adapter - Female with 1½" CPVC Nut and Washers to Fit 1½" and 1¼" Traps (H x SLIP with Plastic Nut)</b>	
	<b>Part No. AW 101C Female Adapter (FPT x H)</b>		1½	10911	<b>\$39.55</b>
1½	10447	<b>\$34.15</b>			
2	10448	<b>46.60</b>			
3	10449	<b>76.85</b>			
4	10450	<b>147.70</b>			
6	10694	<b>247.35</b>			
	<b>Part No. AW 102C Pipe Increaser-Reducer (H x H)</b>				
1½ x 2	10451	<b>\$84.95</b>			
1½ x 3	10452	<b>89.75</b>			
2 x 3	10453	<b>98.70</b>			
2 x 4	10454	<b>108.55</b>			
3 x 4	10455	<b>118.40</b>			
3 x 6	10924	<b>166.40</b>			
4 x 6	10925	<b>200.20</b>			

H = Hub  
SPG = Spigot  
MPT = Male Pipe Thread  
FPT = Female Pipe Thread



**You can't beat the system.®**

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 105XC**  
**Fitting Cleanout Adapter with Cleanout Plug**  
(Spigot)

1½	10456	<b>\$36.00</b>
2	10433	<b>42.40</b>
3	10434	<b>78.25</b>
4	10435	<b>134.60</b>
6	10436	<b>232.85</b>



**Part No. AW 106C**  
**Cleanout Plug**  
(MPT)

1½	10695	<b>\$12.45</b>
2	10696	<b>13.65</b>
3	10697	<b>23.80</b>
4	10698	<b>26.70</b>
6	10699	<b>62.15</b>



**Part No. AW 107C**  
**Flush Bushing**  
(SPG x H)

2 x 1½	10437	<b>\$46.40</b>
3 x 1½	10438	<b>48.95</b>
3 x 2	10439	<b>53.40</b>
4 x 2	10440	<b>118.50</b>
4 x 3	10441	<b>121.20</b>
6 x 3	10926	<b>222.40</b>
6 x 4	10462	<b>212.10</b>
8 x 4	11287	<b>770.80†</b>
8 x 6	11288	<b>804.20†</b>



**Part No. AW 109C**  
**Male Adapter**  
(H x MPT)

1½	10463	<b>\$33.85</b>
2	10464	<b>40.95</b>
3	10465	<b>67.25</b>
4	10466	<b>140.20</b>



**Part No. AW 116C**  
**Cap Socket**  
(Socket)

1½	10467	<b>\$33.85</b>
2	10468	<b>40.45</b>
3	10469	<b>69.85</b>
4	10457	<b>142.40</b>



**Part No. AW 300C**  
**1/4 Bend**  
(H x H)

1½	10459	<b>\$55.55</b>
2	10460	<b>69.10</b>
3	10461	<b>117.30</b>
4	10472	<b>186.70</b>
6	10473	<b>483.15</b>
8	11302	<b>673.30†</b>



**Part No. AW 302C**  
**1/4 Bend, Street**  
(SPG x H)

1½	10474	<b>\$65.30</b>
2	10475	<b>82.90</b>
3	10476	<b>110.90</b>
4	10477	<b>176.30</b>
6	10702	<b>427.80</b>

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
 <p><b>Part No. AW 304C Long Sweep 1/4 Bend (H x H)</b></p>			 <p><b>Part No. AW 326C 1/16 Bend, Street (SPG x H)</b></p>		
1½	10478	\$57.50	1½	10494	\$49.60
2	10479	78.50	2	10495	66.50
3	10480	134.15	3	10496	120.20
4	10481	192.85	4	10497	148.00
 <p><b>Part No. AW 321C 1/8 Bend (H x H)</b></p>			 <p><b>Part No. AW 327C Double 1/4 Bend (H x H x H)</b></p>		
1½	10482	\$54.60	1½	10498	\$112.20
2	10483	66.60	2	10499	196.20
3	10484	122.15	3	10500	250.80
4	10485	138.50			
6	10486	404.45			
8	11303	583.15†			
 <p><b>Part No. AW 323C 1/8 Bend, Street (SPG x H)</b></p>			 <p><b>Part No. AW 400C Sanitary Tee (All Hub)</b></p>		
1½	10487	\$41.40	1½	10501	\$69.10
2	10488	47.05	2	10502	82.80
3	10489	104.20	3	10503	165.60
4	10490	106.90	4	10504	248.10
6	10491	384.10	6	10505	826.90
8	11304	442.50†	8	11307	1,152.30†
 <p><b>Part No. AW 324C 1/16 Bend (H x H)</b></p>			 <p><b>Part No. AW 401C Sanitary Tee, Reducing (All Hub)</b></p>		
1½	10470	\$55.80	2 x 1½ x 1½	10506	\$82.60
2	10471	66.50	2 x 2 x 1½	10507	82.60
3	10492	120.20	2 x 1½ x 2	10508	86.40
4	10493	148.00	3 x 3 x 1½	10509	143.80
			3 x 3 x 2	10510	154.60
			4 x 4 x 2	10511	221.60
			4 x 4 x 3	10512	231.55
			6 x 6 x 4	10513	579.05

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 428C**  
**Double Sanitary Tee**  
(All Hub)

1½	10514	<b>\$104.10</b>
2	10515	<b>122.70</b>
3	10516	<b>164.20</b>
4	10517	<b>219.15</b>



**Part No. AW 429C**  
**Double Sanitary Tee, Reducing**  
(All Hub)

2 x 2 x 1½ x 1½	10518	<b>\$137.10</b>
3 x 3 x 2 x 2	10520	<b>230.70</b>



**Part No. AW 444XC**  
**Cleanout Tee with Plug**  
(H x H)

1½	10521	<b>\$82.25</b>
2	10522	<b>90.90</b>
3	10523	<b>190.60</b>
4	10524	<b>259.55</b>
6	10706	<b>700.95</b>



**Part No. AW 501C**  
**Combination Wye and 1/8 Bend**  
(One Piece)  
(All Hub)

1½	10707	<b>\$92.00</b>
2	10708	<b>122.70</b>
3	10709	<b>195.90</b>
4	10710	<b>278.15</b>



**Part No. AW 502C**  
**Combination Wye and 1/8 Bend,**  
**Reducing**  
(One Piece)  
(All Hub)

2 x 2 x 1½	10713	<b>\$110.50</b>
3 x 3 x 1½	10714	<b>162.90</b>
3 x 3 x 2	10715	<b>176.55</b>
4 x 4 x 2	10716	<b>244.45</b>
4 x 4 x 3	10717	<b>256.45</b>



**Part No. AW 503C**  
**Combination Wye and 1/8 Bend**  
(Two Pieces)  
(All Hub)

6	10711	<b>\$752.00</b>
8	11309	<b>1,383.55†</b>



**Part No. AW 504C**  
**Combination Wye and 1/8 Bend,**  
**Reducing**  
(Two Pieces)  
(All Hub)

6 x 6 x 3	10718	<b>\$569.20</b>
6 x 6 x 4*	10719	<b>591.15</b>



**Part No. AW 507C**  
**Double Combination Wye and 1/8 Bend**  
(Three Pieces)  
(All Hub)

2	10721	<b>\$242.60</b>
3	10722	<b>416.85</b>
4	10723	<b>789.95</b>

\* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 507C**  
**Double Combination Wye and 1/8 Bend, Reducing**  
(Three Pieces)  
(All Hub)

2 x 2 x 1½ x 1½	10724	<b>\$209.60</b>
3 x 3 x 2 x 2	10725	<b>349.50</b>
4 x 4 x 2 x 2	10726	<b>437.60</b>
4 x 4 x 3 x 3	10727	<b>437.60</b>



**Part No. AW 600C**  
**Wye**  
(All Hub)

1½	10525	<b>\$70.40</b>
2	10526	<b>98.80</b>
3	10527	<b>176.10</b>
4	10528	<b>256.65</b>
6	10529	<b>651.55</b>
8	11311	<b>709.20†</b>



**Part No. AW 601C**  
**Reducing Wye**  
(All Hub)

2 x 2 x 1½	10531	<b>\$98.80</b>
3 x 3 x 1½	10532	<b>151.55</b>
3 x 3 x 2	10533	<b>164.10</b>
4 x 4 x 2	10535	<b>236.20</b>
4 x 4 x 3	10536	<b>246.40</b>
6 x 6 x 4	10537	<b>423.15</b>
8 x 8 x 4	11312	<b>492.85†</b>
8 x 8 x 6	11313	<b>548.55†</b>



**Part No. AW 611C**  
**Double Wye**  
(All Hub)

1½	10538	<b>\$132.10</b>
2	10539	<b>139.70</b>
3	10540	<b>252.55</b>
4	10541	<b>576.10</b>
6	10542	<b>1,001.95</b>



**Part No. AW 612C**  
**Double Wye, Reducing**  
(All Hub)

2 x 2 x 1½ x 1½	10543	<b>\$209.60</b>
3 x 3 x 2 x 2	10544	<b>257.95</b>
4 x 4 x 3 x 3	10545	<b>510.40</b>



**Part No. AW 706XC**  
**P-Trap with Solvent Weld Joint**  
(H x H)

1½	10546	<b>\$108.45</b>
2	10547	<b>151.35</b>
3	10548	<b>274.70</b>
4	10552	<b>488.30</b>



**Part No. AW 707XC**  
**P-Trap with Solvent Weld Joint & Cleanout**  
(H x H)

1½	10550	<b>\$121.30</b>
----	-------	-----------------



**Part No. AW 708PC**  
**P-Trap with Union and Plastic Nut**  
(H x H)

1½	10728	<b>\$94.40</b>
2	10729	<b>163.55</b>



**Part No. AW 711PC**  
**P-Trap with Union and 1½'' Nut**  
(SLIP x H with Plastic Nut)

1½	10837	<b>\$206.40</b>
----	-------	-----------------

**Part No. AW 712C has been moved to page six.**

**Part No. AW 712PC has been moved to page six.**

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

† Different discount applies. Please contact sales office.

>> **Specialty Items and Drains**

Different Discount Applies to these items.

Size	UPC# 611942-	List Price Each	Size	UPC# 611942-	List Price Each
------	-----------------	--------------------	------	-----------------	--------------------



**Part No. AW 1C †**  
**ChemDrain Low-VOC Solvent Cement**

Quart	10693	\$62.05
-------	-------	---------



**Part No. AW 95C †**  
**Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe**  
300 Series Stainless Steel with Fluoroelastomer Gasket

1½	10583	\$491.55
2	10586	517.50
3	10587	565.75
4	10588	615.80
6	10691	1,114.25
8	11622	1,557.50



**Part No. AW 96C †**  
**Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron**  
300 Series Stainless Steel with Fluoroelastomer Gasket

2	10688	\$517.50
3	10690	565.75
4	10689	615.80



**Part No. AW 712C †**  
**Jar Trap**  
(SPG x H)

1½	10838	\$186.60
----	-------	----------



**Part No. AW 712PC †**  
**Jar Trap with Tail Piece Adaptor**  
(SLIP x HUB)

1½	10839	\$222.70
----	-------	----------



**No. AW 1512PC †**  
**CPVC Tail Piece with Nut**  
(May be cut to length)

1½ x 12	10636	\$121.30
---------	-------	----------

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

## ! WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS

- NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.
- NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

## TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at [https://charlottepipe.com/terms\\_and\\_conditions.aspx](https://charlottepipe.com/terms_and_conditions.aspx)

### LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company  
Attention: Technical Services  
2109 Randolph Road  
Charlotte, North Carolina 28207

**Purchaser must obtain a return materials authorization** and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

**Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.**

# CHARLOTTE

**PIPE AND FOUNDRY COMPANY®**

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

[WWW.CHARLOTTEPIPE.COM](http://WWW.CHARLOTTEPIPE.COM)



All products manufactured by  
Charlotte Pipe and Foundry Company  
are proudly made in the U.S.A.

